INDEX.

	PAGE
Albany to Syracuse	9
Syracuse to Albany	12
Troy and Schenectady	15
Albany to Troy	16
Troy to Albany	17
Ravena to Utica (Genesee St.)	18
Utica (Genesee St.) to Ravena	19
Utica (Genesee St.) to Syracuse (W. S.)	20
Syraeuse (W. S.) to Utica (Genesee St.)	22
Remsen to Malone	24
Malone to Remsen	26
Herkimer and Remsen	28
Hinckley Branch	29
Raquette Lake Ry	30
Saranac Branch	31
St. Lawrence & Adirondack Rv	32

New York Central Hudson River Railroad

MOHAWK DIVISION.

Time Table No. 8A

FOR EMPLOYES ONLY

Taking effect

AT 12.01 A. M.

Sunday, Jan. 19, 1908

Superseding Time Table No. 8, dated Oct. 27, 1907

STUDY the SPECIAL INSTRUCTIONS and NOTE ALL CHANGES.

C. F. SMITH
L. H. VAN ALLEN
General Superintendents

P. E. CROWLEY

F. A. HARRINGTON SuperIntendent

SPECIAL INSTRUCTIONS.

MAIN LINE, ALBANY TO SYRACUSE - WEST SHORE, RAVENA TO UTICA (GENESEE ST.), TROY AND SCHENECTADY, AND TROY AND ALBANY BRANCHES.

1.

2. Standard Clocks are located at: Albany,

Train Dispatcher's Office. Syracuse, Pass. Station. Station Master's Office. Dewitt, Yard Master's Office. Frankfort, (W. S.) Tel. Office. Minoa, Engine House. Ravena. Yard Master's Office.

Engine House. Rensselaer, Eng. House. Schenectady, T. & S. Waiting Room.

Troy, Telegraph Office. Utica,

Telegraph Office. Yard Master's Office.

West Albany, Gen'l Yard Master's Office. Engine House.

3. Bulletin Cabinets are located at: Albany, Passenger Station. Schenectady.

Dewitt, Yard Master's Office. Syracuse, Pass. Station. Frankfort, (W. S.)

Telegraph Office. Engine House. Minoa, Engine House.

Engine House. Yard Master's Office. Rensselaer, Engine House. Rotterdam Jct.,

Engine House. Yard Master's Office.

Engine House. Troy, Passenger Station. Utica, Engine House. Passenger Station. Yard Master's Office.

West Albany, Engine House.

Gen. Yard Master's Office.

4. Register Books are located at:

Frankfort (W. S.) Telegraph Office. Green Island, Block Station.

Ravena, Yard Master's Office. Telegraph Office. Rensselaer, Engine House. Rotterdam Junction, Yard Master's Office.

Albany, Station Master's Office. Schenectady (T. & S. Trains).

Dewitt, Yard Master's Office. Syracuse, Telegraph Office. Troy, Telegraph Office. Utica, Telegraph Office. Yard Master's Office. West Albany, Yard Master's Office.

St. Johnsville (for Nos. 3 & 4

Utica (for Nos. 3 & 4 tracks).

West Albany (for Nos. 3 & 4

First-class trains may throw off register card to operator at Green Island block station, except when they display green signal. In the latter case the conductor will register in person.

tracks).

Voorheesville.

5. Yard Limits, designated by signs, are located at ohoes. South Schenectady. Cohoes. Frankfort (West Shore). Minoa (for No. 3 track). Rensselaer.

Rotterdam Junction. Schenectady (for Nos. 3 & 4

tracks). Between Albany and East Syracuse on Nos. 1 and 2 tracks full protection is required at all times.

6. Water Stations, designated by signs, are located at: Chittenango. Oneida. Tribes Hill. Factory Village, (Rome). Red Bank. Herkimer. St. Johnsville. Utica. Yosts. Hoffmans.

Trains on Nos. 3 and 4 tracks are permitted to stand within such limits while taking water without protection.

At water stations where such signs are not in use, or at any water station, when location or weather conditions are such as will not afford a clear view, full protection is required.

Other water stations, are located at: South Amsterdam. Canajoharie. Frankfort (W. S.) Fultonville. Indian Castle.

Sand Bank (Schenectady). South Schenectady. Voorheesville.

The location of track pans on Nos. 1 and 2 tracks at the following places will be indicated by blue light at each end of

Sand Bank, (Schenectady). Factory Village, (Rome). Herkimer. Yosts.

7. Sidings. (See page 37.)

At sidings for meeting or passing trains the inferior train must take the first switch unless otherwise designated.

Where sidings for second-class and extra trains with intermediate crossovers are in use, such train will take the first switch and will use only that part of the siding between the first switch and the crossover. If necessary to run beyond such first switch or to use such siding beyond the crossover it shall be done only by special orders in each case or under protection as per Rule 99, Book of Rules of the Operating Department.

At middle sidings, in service between Nos. 3 and 4 main tracks, the normal position of the switches on the siding will

be as follows:

At east end, the switch will be set for a movement from the siding to No. 4 main track; the switches at the center of the siding (when provided) for the straight; and at the west end, for a movement to No. 3 main track.

At points where switches are interlocked, and operated from a block station, train movements will be governed by the sig-

nals provided.

Trains moving to or from middle or passing sidings at switches controlled from block stations by means of electric switch locks, will be governed by special instructions bulletined in the switch cabins, and exchange proper signals with signal-man over bell circuit before and after using switches, or over Locomotives must not be placed on the trestle of Stockwell's siding, east of Little Falls, W. S.

F-2, G-2 and G-5 engines must not be placed on the

Bailey Knitting Mill track at Fort Plain, W. S. G—4, G—5 and Class "I" engines may use the two southerly tracks over the Poestenkill creek bridge at Madison St., Troy. These are the two tracks nearest the fence which are used by engines going to and from the engine house and These are the two tracks nearest the fence which leaving the yard.

- Normal Position of Main Track Switches. Hoffmans - Track 4, for the detour track.
- 9. Use of Main Tracks. Single track is in use as follows: Between Green Island and Schenectady.

Double track is in use as follows: Between Hoffmans and Rotterdam Jct. Between Ravena and Utica (Genesee St.). Between South Schenectady and Carman. Between Troy and Rensselaer.

When running on double track all trains will keep to the

right, excepting as follows:

On detour line between South Schenectady and Carman, where east bound trains will use the northerly track, and west bound trains the southerly track; and on Hoffmans connection, between Hoffmans and Rotterdam Jct., where east bound trains will use the northerly track, and west bound trains the southerly track. In other words, on these connections, trains will keep to the left.

Four tracks are in use between Albany and East Syracuse,

and are to be used as follows:

No. 1 by east bound passenger trains. No. 2 by west bound passenger trains.

No. 3, between Albany and West Albany, by east bound freight trains; between West Albany and East Syracuse, by west bound freight trains.

No. 4, between East Syracuse and West Albany, by east bound freight trains; between West Albany and Albany, by

west bound freight trains.

Nos. 3 and 4 tracks, between Albany and East Syracuse, may be used by extra trains without procuring train order excepting that No. 4 track is out of service for steam locomotives from a point east of Block Station No. 11, Hoffmans, where the overhead detour tracks cross the main line, a normally open derail being provided at this point, to Block Station No. 9, west of Sand Bank, Schenectady, and the track will be devoted to the use of the electric experimental train. Tell tales have been installed on No. 4 track one-half mile east of Hoffmans station for the protection of 3rd rail on experimental track between Hoffmans and Schenectady, and no steam locomotive must enter upon or use this track without the engineman and conductor first receiving a train order to use the track. No train, except those shown on time table, may use Nos. 1 and 2 tracks between Albany and Syracuse without permission under Rule 101.

The third main track between Rotterdam Junction and South Schenectady, north of and parallel with the West Shore west bound main track, will be used by east bound freights from main line No. 4 track without special orders.

The fifth main track between Minoa and Kirkville, north of and parallel with No. 4 main track, will be used by east bound trains only when permission is received from the Super-

intendent.

West Shore tracks between BS "MX" and BS "FJ" are used in common by steam and electric trains. The movement of both will be governed by signal indication.

Table Rule 101.)

The electric service between the above points is frequent and the men in charge of steam trains to be moved over this section of track must know that their trains are in condition to insure prompt movement in order to avoid delay to the electric trains.

On Nos. 3 and 4 main tracks, and on double track, work extras are authorized to work within specified limits. Before starting, the conductor will wire the Superintendent each morning between what points on the division they will work that day, and must not go outside of such limits without re ceiving permission from the Superintendent, and will report when through work for the day and clear of main track.

11. Extra Trains may run ahead of second class trains.

12. Train Order or Clearance Card.

Trains will not leave the following stations without train order or clearance card:

Albany, Passenger Station. Schenectady (T. & S. Trains). Green Island, Block Station. Syracuse, Passenger Station. Ravena. Troy.

At any of the above designated stations that are not night offices this rule will not be in effect after such office has been closed for the night.

Orders addressed to all concerned or to all trains will not

fulfil requirements of above rule.

All extra trains on West Shore, starting from Utica (Genesee st.), Harbor, Frankfort, and Ravena, and all light engines authorized above, must, before starting, receive a clearance card stating, over operator's signature, that he has no orders for them.

No. 38 will obtain clearance at Oneida.

No. 48 will obtain clearance at Herkimer. Nos. 54, 1008, 66 and 1020 will obtain clearance at Utica.

No. 91 will obtain clearance at Canajoharie. R. W. & O. Trains will obtain clearance at Utica and Rome. The issuance of clearance cards must be authorized by the train dispatcher, except when wires are not working, in which case the operator may issue without such authority, providing he has no orders for such trains.

13. The speed of trains is restricted as follows:

Little Falls, Gulf Curve —							
Nos. 1 and 2 tracks	not	to	exceed	45	miles	per	hour
Nos. 3 and 4 tracks	66	66	"	20	66	""	"
Rome - Curve in front of							
station —							
Nos. 1 and 2 tracks	"	66	"	40	"	"	**
Nos. 3 and 4 tracks	66	66	66	20	**	**	
Rensselaer - Curve in front							
of station	66	66	**	15		"	**
Syracuse — Across or through							
streets	**	66	"	8	"	**	"
Utica - Across or through							
streets	"	66	"	8	"	"	**
Between Albany and East							
Syracuse, Passenger trains							
using Nos. 3 and 4 tracks	"	"	"	35	"	"	- 66
New Scotland, Wolf Hill High-							
way crossing, west of station	"	66	"	6	"	66	"
Track pans while scooping							
water	"	66	"	45	"	"	**
water Detour Line, between Hoff-							
mans and South Schenec-							
tady	"	"	"	15	"	"	"
Between West Albany and Al-							
bany —							
First-class trains and							
specials, east bound	"	66	"	30	"	"	"
Other trains, including							
light engines, east							
bound	66	66	"	15	"	-66	"
Cranes Village—Reverse curve							"
at west end of new work	"	"	"	60	"	***	
Little Falls, W. S Rock			2.00				
Cuts	**	66	"	40	"	**	"
South Amsterdam — Yankee							
Hill, west of station, east	"		-				
bound trains	66	"	"	40	"	**	"
Canajoharie	**		"	35		**	
South Schenectady — West							
end of yard where piles are							
being driven for new D. &	"	"	"	-	"		"
H. Co. crossing, All trains.		**		8			
Schenectady — Between State					-		
street and present tempor-							
ary station west of Canal	"	**	"	95	**	"	"
Bridge, Nos. 1 and 2 tracks.	**	"	"	35	"		"
Nos. 3 and 4 tracks	1		A Illia mar				

Trains entering passenger yard at Albany must not exceed a speed of six miles per hour between Block Stations "A" and ," and over the switches at these points.

Trains using sidings, crossovers or switches to and from main tracks or sidings, a speed of 10 miles per hour must not be exceeded, and as much less as may be necessary to insure absolute safety. This applies not only to switching movements, but also to movements made against the current of

When blocks on Nos. 3 and 4 tracks are used permissively, the speed of trains on caution signal must not exceed 10 miles per hour and as much less as in the judgment of the engineman is necessary to insure absolute safety.

Class I and G—2 engines may be used between Schenectady

and Green Island, but must not exceed a speed of 25 miles per

hour.

The speed of class F-2, G-5, and G-6 engines, west bound on West Shore between Harbor and Utica; and east bound between Mohawk and Little Falls is restricted to 20 miles

per hour; and east bound between Little Falls and Rotterdam

Jct. to 35 miles per hour.

The speed of class I, F—2, F—3, and G—5 engines, east bound on West Shore, hauling freight trains between Little Falls and Rotterdam Junction, is restricted to 35 miles per hour.

The speed of class I, F-2 and F-3 engines, east bound on West Shore, hauling passenger trains between Utica and Frankfort, and Mohawk and Little Falls, is restricted to 25 miles per hour; between Little Falls and Canajoharie, east bound, 45 miles per hour; and between Harbor and Utica, west bound, 25 miles per hour.

A clearance indicator or tell-tale for third rail protection

has been erected on the West Shore at Harbor.

Conductors will be particular to see that all cars in their trains clear this tell-tale, or they must not be allowed to enter upon the tracks of the West Shore Electric Sub-division at Utica, Genesee street.

All trains will reduce speed not to exceed (15) fifteen miles per hour, west bound, that proper inspection can be made.

15. Train Order and Block Signals. (See Book of Block Signal Rules, governing the use of telegraph and automatic block systems, in effect March 15, 1906, and Book of Block Signal Rules, in effect Dec. 15, 1903.

Lock and block signals are in use as follows:

Between Albany and Syracuse on Nos. 1 and 2 tracks. Between Albany and Fort Plain, and between Utica and Syracuse on Nos. 3 and 4 tracks.

Block is out of service as follows: (See last paragraph, page 5, Book of Block Signal Rules, in effect Dec. 15, 1903.)

On No. 1 track,
Between B.S. "A" and Hudson Div. B.S. "98."
Between B.S. "9" and B.S. "8."
West of B.S. "48."

On No. 2 track,

Between Hudson Div. B.S. "98" and B.S. "A."
Between B.S. "8" and B.S. "9."
West of B.S. "48."

On No. 3 track, Between B.S. "D" and B.S. "C."

Between B.S. "2" and B.S. "4."
Between B.S. "7" and B.S. "9."
Between B.S. "12" and B.S. "13."
Between B.S. "21" and B.S. "21-A."
Between B.S. "30" and B.S. "31."

West of B.S. "46."

On No. 4 track, West of B.S. "46."

Between B.S. "31" and B.S. "30."

Between B.S. "21-A" and B.S. "21."

Between B.S. "13" and B.S. "12."
Between B.S. "9" and B.S. "7."
Between B.S. "4" and B.S. "2."
Between B.S. "C" and B.S. "D."

Telegraph block signals are in use as follows:

West Shore, between Ravena and B. S. "W. U."

Troy and Schenectady Branch, between Schenectady and

Green Island. These rules govern the operation of block signals in territory

mentioned. Train order signals will be used as block signals, as follows:

(See Rule 603, Book of Block Signal Rules.) Troy and Schenectady Branch, between Schenectady and

Green Island.

Caution signals are in use as follows: (See Rule 605, Book of Block Signal Rules.)

Crawford's Grade, east bound on Detour track.

Fort Plain, W. S., east bound track. Fullers, east bound track.

Harbor, west bound track.

New Scotland, west bound track.

Block signals are located at all telegraph offices, except as follows:

Auriesville,

Utica (Genesee St.),

Mohawk,

The letter in station column to the right of the station name in the Time Table designates day and night telegraph offices. Day telegraph offices are open from 7:00 A. M. until 7:00 P. M., except as follows:

Aqueduct, from 6:25 A. M. to 6:25 P. M.

Cohoes, from 5:55 A. M. to 6:55 P. M. Crescent, from 6:00 A. M. to 6:45 P. M.

Dunsbach Ferry, from 6:05 A. M. to 6:55 P. M.

Niskayuna, from 6:15 A. M. to 6:35 P. M. South Bethlehem, from 6:30 A. M. to 6:30 P. M.

Automatic block signals of the disc pattern are in use on T. & G. Branch, between Rensselaer and Iron Works, Troy. (See Book of Block Signal Rules in effect Dec. 15, 1903.)

Automatic block signals of semaphore pattern are in use between Fort Plain and Utica on Nos. 3 and 4 tracks. (See Rules 701 to 712, inclusive, Block Signal Rules, in effect March 15, 1906.)

Rule 708, Book of Rules governing the use of Telegraph and Automatic Block Signal Systems, effective March 15, 1906.

reads as follows:

"When a train is stopped by a Permissive Block Signal, it may proceed at once, and run cautiously, expecting to find a train, an open switch, a broken rail or some other obstruction

in the block."

A permissive block signal, as referred to in the above rule, is an automatic block signal with arm pointed at the end and painted red, as covered by Rule 705 and the sketch in connection therewith, under the head of "Automatic Block System" on page 16, Book of Rules governing the use of Telegraph and Automatic Block Signal Systems, effective March 15, 1906, or automatic signals of the disc pattern. (See Book of Block Signal Rules, in effect Dec. 15, 1903.)

The above rule does not apply to semi-automatic signals operated from a block station. The arm of such signals has a square end with a vertical white stripe and must not be passed when in stop position without receipt of proper card or hand signal given with yellow flag or light from the signal-

man.

For Main Line (See Book of Block Signal Rules in effect

Dec. 15, 1903.)

Where a caution card is authorized, as per Rules 9 and 10. Book of Block Signal Rules in effect December 15, 1903, a "Proceed" hand signal given by a signalman with a yellow flag by day or a yellow light by night for No. 3 track; or a "Proceed" hand signal given by a signalman with a yellowflag by day, or a yellow light by night, for No. 4 track, will be accepted in place of a caution card.

Enginemen receiving such caution signal together with clear home signal, must acknowledge it by 2 short sounds of the whistle and must reduce speed to 8 miles per hour passing

block station.

Absolute block will be maintained on No. 3 track between Block Station 2 and Block Station 1; and between Block Station 7 and Block Station 8, excepting that between Block Station 2 and Block Station 1, light engines will be permitted to enter block occupied by freight trains, and the use of yellow flag by day and yellow light by night will be authority to pass the block signals.

Referring to rule 614, Book of Block Signal Rules in effect

March 15th, 1906.

When a train which has taken a siding is to return to the main track, the operator, in addition to obtaining control of the block before permitting a train on such siding to re-enter the block, shall also, in cases where train in leaving the siding enters the block in advance, display signal in stop position against following trains until such train from the siding is

clear at the first block station in advance.
Rule 609, page 7, Book of Telegraphic Block Signal Rules taking effect March 15th, 1906, is modified as follows:

If circumstances render it necessary to card a passenger train into an occupied block or to card another train into a block occupied by a passenger train, it will be done after the operator has secured a 19 order for the train to be carded and the train which is so forwarded must have a caution card, Form 132, in addition to the train order. When any trains are carded in accordance with rule 609, they will be held until 10 minutes after the departure of the preceding train instead of 5 minutes.

Between Green Island and Schenectady, Rules Nos 608 and 609 of the Block Signal Rules governing the use of Telegraphic and Automatic Block Signal Systems, effective March 15th.

1906, are modified as follows:

To admit train into block, signalman must examine block record, and, if block is clear, will give "74" to next block station in advance. The signalman receiving this signal, if block is clear, must display stop signal to the opposing train and reply "SD for" If block is not clear, he must reply "78 of" The signalman at entrance of block must then display proper signal indication to the train to be admitted.

If the block is already occupied by train in opposite direction, the train must not be admitted to the block unless move-

ment is protected by train order or caution card.

This does not supersede any instructions now in effect. Signalmen must be prompt in blocking so as to avoid unnecessary delay to trains.

77 — Train has entered block.78 — Block is not clear. 74 — Display stop signal.
75 — Block clear.

76 - Block wanted.

The above code is to be followed so far as practicable.

16.

17.

18. Signals at Railroad Crossings at Grade. (See Rule 98, Book of Rules of the Operating Department, and where interlockings are in service, see Book of Block Signal Rules, in effect Dec. 15, 1903.)

Voorheesville, D. & H. Co.

Crossing gates bearing a red target by day, and in addition a red light by night, govern movements over these crossings.

Green Island, D. & H. Co.

Schenectady (T. & S.), D. & H. Co.

Signal is of the ball type.

A red ball by day or a red light by night, displayed at the top of signal mast, located near the intersection, indicates that the trains of the D. & H. Co. have the right to cross. When no signal is displayed from top of mast, trains of the N. Y. C. & H. R. R. Co. have the right to cross.

Albany (Livingston ave.), D. & H. Co. (Interlocked.) (See D. & H. Book of Rules governing the use of block signals, issued Jan. 11th, 1903.)

South Schenectady, D. & H. Co. (Interlocked.) (See Book of Block Signal Rules in effect Dec. 15, 1903.)

Employees of the Hudson River Bridges will be governed by the rules and regulations of the N. Y. C. & H. R. R. Co.

101. On Nos. 1 and 2 main tracks between Albany and Syracuse, trains will run with the current of traffic by block signal indication, which, instead of train orders, will supersede time table superiority. (See Rules 251, 252, 253, and 254, Book of Rules of the Operating Department).

When a blue signal is displayed on the side of a block station toward which a train is approaching, the train must promptly turn out from Nos. 1 or 2 tracks at such block station.

When, in accordance with the rules, a train running on Nos. 1 or 2 tracks should take a siding or divert to Nos. 3 or 4 tracks to clear a following train, the engineman of such train will give four short sounds of the whistle passing the block station preceding the one at which the turn-out is to be made.

The above instructions permitting the crossing of main tracks by trains on signal indication apply only at interlocking block stations. At crossovers where switches are not controlled from an interlocking block station, conductors must first obtain permission to use such crossover switches as provided in block signal rules.

The above instructions govern the movement of West Shore trains (including electric trains of the Utica and Mohawk Valley Railway Company) between Block Station MX and Block Station FJ.

Nos. 1 and 2 tracks, between Albany and Syracuse, are considered high speed tracks.

Nos. 3 and 4 tracks between Albany and East Syracuse, are

considered slow speed tracks.

Rule 21, Book of Rules of the Operating Department, reading, "extra trains will display two white flags, and in addition, two white lights by night, in the places provided for that purpose on the front of the engine," is modified to the extent that between Alberts and Foot Strawers it will only apply to that between Albany and East Syracuse, it will only apply to extra passenger trains, fast freight trains and any extra train or engine using Nos. 1 or 2 tracks. In other words slow freight trains, while using Nos. 3 or 4 tracks, need not display extra train signals.

102. Between Albany and East Syracuse the rules for calling in of Flagmen by steam whistle signals (Rule 14) will not apply on Nos. 1 and 2 tracks. In every instance Flagmen will

remain out until picked up by following train.

103. At stations where trains are scheduled to stop on signal, passengers will be required to purchase or exhibit ticket

to the Agent before train is flagged.

104. Conductors must know that their brakes are in good condition before descending a grade, or, in other words, that they have sufficient brake power to keep their trains under perfect control and descend grades with safety. Freight trains on Nos. 1 and 3 tracks, between West Albany and Block Station No. 1, in descending what is known as West Albany Grade, must be held by hand brakes. If for any reason it becomes necessary for the engineman to use the air, he must bring the train to a full stop and not proceed until he has a full pressure of air; the train to be held by hand brakes after the stop, as before.

105. When freight trains are overtaken by stock and pro-

vision trains they must let them pass without delay.

106. Between Rensselaer and Troy the following rule for

detached trains will apply:

Whenever a freight train becomes separated, great care is required to prevent detached parts from colliding; the forward part must be kept in motion until rear part is known to be stopped. Should it part without the immediate knowledge of engineman, he must not back up for it (unless it is in sight), but must proceed to the first siding or middle track, leave the forward part of train and immediately return on the opposite track to find the rear portion. Should a following train of any class find a detached portion of a freight train between stations, they must couple on and push it cautiously to the first siding, at a speed not exceeding six (6) miles per hour, but must first send a man with danger signals at least five hundred (500) yards in advance, which distance must be maintained until the siding is reached, and also place a man on top of the first car with signals in view of the engineman, that may be plainly seen and acted upon in case of necessity. Should the train pushing the rear portion of a detached train find that the forward part is not on the siding at point where the rear portion is placed, they must continue to run cautiously until the forward portion is found and passed, in order to avoid any possibility of collision with other detached parts.

Enginemen having occasion to go back after detached part of train and finding it being pushed, will cross over to the proper track and follow cautiously behind the shoving train. Trains have no right to back over the road except in emer-

gencies, and must then be protected with signals sufficiently in advance to stop following train.

107. When necessary to place two engines behind a train on a grade, the engines must be coupled to avoid side shove on curves.

108. The attention of employees, particularly conductors and brakemen, is called to the scant clearance between the east end of the canopy along track 3 at Schenectady, and large size cars, particularly carriage and furniture equipment. Employees riding on the decks of such cars on No. 3 track through Schenectady should be on the alert and careful, especially to avoid sitting on the edge of such cars passing the above point.

109. Rules 10 and 27, Book of Rules, of the Operating Department, effective January 19th, 1908, are modified so as to continue the use on the West Shore between Rotterdam Junction and Utica (Genesee St.) of white and green color signals as indication for "Proceed" and "Proceed with caution," respectively.

M. & M. AND ST. L. & A. INCLUDING HERKIMER, HINCKLEY AND SARANAC BRANCHES, AND RAQUETTE LAKE RY.

1.

2. Standard Clocks are located at:

Herkimer, Passenger Station. Utica, Malone Jct., Passenger Station. Saranac Lake, Pass. Station. Tupper Lake Jct.,

Telegraph Office. Yard Master's Office.

Passenger Station.

3. Bulletin Cabinets are located at:

Fulton Chain. Herkimer, (M. & M. Trains). Malone Jct. { Engine House, Passenger Station. Pass. Station. Utica, Engine House. Raquette Lake. Remsen. Saranac Lake.

Tupper Lake Junction, Engine House. Passenger Station. Passenger Station. Yard Master's Office. Valleyfield.

4. Register Books are located at:

Adirondack Junction. Clearwater, (Raquette Lake Rd. Trains). Fulton Chain. Herkimer, (M. & M. Trains). Lake Clear Jet. Malone Jct.

Prospect Junction, (Hinckley Branch Trains). Raquette Lake. Remsen. Saranac Lake. Tupper Lake Jct. Utica. Poland, (Nos. 67, 61, 56 and Valleyfield.

5. Yard Limits, designated by signs are located at Adirondack Junction. Clearwater. (Raquette Lake Poland. Trains.)

Fulton Chain. Herkimer, (M. & M. Trains). Hinckley. Huntingdon. Lake Clear Junction.

Malone Junction. Prospect Junction. Raquette Lake. Remsen. Saranac Lake. Tupper Lake Jct. Valleyfield.

6. Water Stations, are located at:

Beaver River. Chateauguay. Fulton Chain. Herkimer (M. & M.) Horseshoe. Huntingdon. Lake Clear Jct. Lake Kushaqua.

Malone Jct. Newport. Owls Head. Raquette Lake. Remsen. Tupper Lake Jct. Valleyfield. White Lake.

7. Sidings.

At sidings for meeting or passing trains the inferior train must take the first switch unless otherwise designated.

The exceptions to the above are as follows: Beaver River, east of main track. Big Moose, east of main track. Fulton Chain, south of station, west of main track. Huntingdon, south of station, west of main track. Loon Lake, west of main track. Poland, north of station, east of main track. Remsen, east of station. Robinwood, east of main track. Valleyfield, south of station.

9. Use of Main Tracks.

Single track is in use as follows: Between Remsen and Malone Junction. Between Malone Junction and Adirondack Junction. Between Herkimer and Remsen. Between Prospect Junction and Hinckley. Between Lake Clear Junction and Saranac Lake. Between Clearwater and Raquette Lake.

11. Extra Trains may run ahead of second class trains.

12. Train Order or Clearance Card.

Trains will not leave the following stations without train order or Clearance Card:

Adirondack Junction. Malone Junction.

Clearwater (For trains from Prospect Jet. (For trains Raquette Lake Ry. only). Fulton Chain. Herkimer (M. & M. Trains).

from Hinckley Branch only). Remsen. Saranac Lake.

Lake Clear Jct. (For trains Tupper Lake Junction. to and from Saranac Branch only).

All south bound trains will get orders at Adirondack Jct., and all trains will get orders at Remsen, except when wires are not working, in which case the operator may issue clearance card, providing he has no orders for such trains.

Nos. 21, 23, 25 and 27 will obtain clearance at Valleyfield.

The issuance of clearance cards must be authorized by the train dispatcher, except when wires are not working, in which case the operator may issue without such authority, providing he has no orders for such trains.

13. The speed of trains is restricted as follows:

Middleville - Curve in front

of station not to exceed 20 miles per hour. Between Owls Head and Malone Jct., and Malone Jct. and Constable. First-class trains and specials. " " 35

All other trains including light engines " " Between Onekio and McKeever " " 66 45 Between Beaver River and 45 Between Rondaxe and Skensowane " "

Over crossing frogs at Grand Trunk Ry. at Cecile Jct.—

First-class trains " " 12 All other trains including light engines " " 8 "

Trains using sidings, crossovers or switches to and from main tracks or sidings, a speed of 10 miles per hour must not be exceeded, and as much less as may be necessary to insure absolute safety. This also applies to switching movements. Class I and G-2 engines may be used between Herkimer

and Malone Jct. including the Saranac Branch, but must not exceed a speed of 25 miles per hour.

No heavier engines than class C-B and E-1-A will be

allowed over the Hinckley Trestle.

No heavier engines than class C—12 and E will be allowed over the Raquette Lake Ry.

No heavier engines than class C-B and E-1-C will be allowed over the Fulton Chain Ry. between Fulton Chain and Old Forge.

14. On single track trains displaying green signals will sound whistle as per rule 14k, Book of Rules of the Operating Department, while passing caboose as well as while passing engine.

15. Train Order and Block Signals. (See Book of Block Signal Rules, governing the use of telegraph and automatic block systems, in effect March 15, 1906.)

Telegraph block signals are in use as follows:

Between Herkimer and Adirondack Jct.

These rules govern the operation of block signals in territory mentioned.

Train order signals will be used as block signals, as follows: (See Rule 603, Book of Block Signal Rules.)

Mohawk & Malone, between Herkimer and Adirondack Jct.

At the following stations no train will be permitted to enter a block occupied by a preceding train except on instructions from the Superintendent, or in case of wire failure. (See Rule 609, Book of Block Signal Rules.)

Big Moose, in both directions. Owls Head, north bound trains. Prospect Jct., south bound trains.

Block signals are located at all telegraph offices, except as follows:

Herkimer, Hinckley, Raquette Lake,

Remsen, Saranac Lake.

The letter in station column to the right of the station name in the Time Table designates day and night telegraph offices. Day telegraph offices are open from 7:00 A. M. until 7:00 P. M., except as follows:

Beauharnois, from 7:00 A. M. to 9:20 P. M. Chateauguay, from 7:15 A. M. to 9:30 P. M. Constable, from 7:00 A. M. to 10:20 P. M. Gabriels, from 5:50 A. M. to 6:45 P. M. Huntingdon, from 6:45 A. M. to 9:40 P. M. Lake Kushaqua, from 6:00 A. M. to 6:15 P. M. Middleville, from 7:15 A. M. to 7:30 P. M. Owls Head, from 6:45 A. M. to 7:45 P. M. St. Stanislas, from 7:15 A. M. to 9:25 P. M. St. Timothee, from 6:45 A. M. to 9:10 P. M. Valleyfield, from 6:45 A. M. to 9:10 P. M.

Referring to rule 614, Book of Block Signal Rules in effect March 15th, 1906.

When a train which has taken a siding is to return to the main track, the operator, in addition to obtaining control of the block before permitting a train on such siding to re-enter the block, shall also, in cases where train in leaving the siding enters the block in advance, display signal in stop position against following trains until such train from the siding is clear at the first block station in advance.

Rule 609, page 7, Book of Telegraphic Block Signal Rules taking effect March 15th, 1906, is modified as follows:

If circumstances render it necessary to card a passenger train into an occupied block or to card another train into a block occupied by a passenger train, it will be done after the operator has secured a 19 order for the train to be carded and the train which is so forwarded must have a caution card, Form 132, in addition to the train order. When any trains are carded in accordance with rule 609, they will be held until 10 minutes after the departure of the preceding train instead of 5 minutes.

Between Herkimer and Adirondack Jct., including Hinckley and Saranac Branches, Rules Nos. 608 and 609 of the Block Signal Rules governing the use of Telegraphic and Automatic Block Signal Systems, effective March 15th, 1906, will be modified as follows:

To admit train into block, signalman must examine block record, and, if block is clear, will give "74" to next block station in advance. The signalman receiving this signal, if block is clear, must display stop signal to the opposing train and reply "SD for" If block is not clear, he must reply "78 of" The signalman at entrance of block must then display proper signal indication to the train to be admitted.

If the block is already occupied by train in opposite direction, the train must not be admitted to the block unless movement is protected by train order or caution card.

This does not supersede any instructions now in effect. Signalmen must be prompt in blocking so as to avoid unnecessary delay to trains.

74 — Display stop signal.

75 — Block clear. 76 — Block wanted.

77 — Train has entered block.

78 - Block is not clear.

The above code is to be followed so far as practicable.

16.

17.

18. Signals at Railroad Crossings at Grade. (See Rule 98, Book of Rules of the Operating Department.)

Tupper Lake Junction, N. Y. & O. Ry.

M. & M. trains will be governed by home signal located ten (10) feet south of crossing and west of M. & M. track.

N. Y. & O. trains will be governed by home signal located ten (10) feet south of crossing and east of M. & M. track.

Malone Junction, Rutland R. R.

Signal is of the ball type.

A red ball by day or a red light by night, displayed at the top of signal mast located near intersection, indicates that the trains of this company have right to cross the Rutland R. R. tracks. When no signal is displayed from top of mast, trains of the Rutland R. R. have the right to cross.

Huntingdon, G. T. Ry.

All trains must stop for at least one minute before crossing irand Trunk Ry. track.

Cecile Jct., G. T. Ry. (Interlocked.)

Derailing switches are provided fifty (50) feet in advance f all home signals and are interlocked with them.

20.

103. At stations where trains are scheduled to stop on signal, passengers will be required to purchase or exhibit ticket to the agent before train is flagged.

104. Conductors must know that their brakes are in good condition before descending a grade, or, in other words, that they have sufficient brake power to keep their trains under perfect control and descend grades with safety. If for any reason it becomes necessary for the engineman to use the air, he must bring the train to a full stop and not proceed until he has a full pressure of air; the train to be held by hand brakes after the stop, as before.

105. When necessary to place two engines behind a train on a grade, engines must be coupled to avoid side shove on curves.

106. When pusher engines are cut off from passenger trains which they have been assisting over grades, the moment they are cut off the emergency brake must be applied and every effort made to stop the engine in the least possible distance.

107. Rules 10 and 27, Book of Rules of the Operating Department, effective January 19th, 1908, are modified so as to continue the use on Mohawk and Malone and on Raquette Lake Ry. of white and green color signals as indication for "Proceed" and "Proceed with caution," respe tively.

New Book of Rules of the Operating Department will not apply on the St. L. & A. Ry.

WEST SHORE R. R. - ELECTRIC SUB-DIVISION.

1.

2. Standard Clocks are located at:

Syracuse, (O. Ry.)
Waiting Room.
Syracuse, (W. S.)
Yard Master's Office.

Utica, (O. Ry.)
Waiting Room.
Utica, (Genesee St.)
Train Dispatcher's Office.

3. Bulletin Cabinets are located at:

Syracuse, (O. Ry.)
Waiting Room.
Syracuse, (W. S.)
Yard Master's Office.

Utica, (O. Ry.)
Waiting Room.
Utica, (Genesee St.)
Train Dispatcher's Office.

4.

5. Yard Limits, designated by signs, are located at: Syracuse (W. S.) New York Mills.

6. Water Stations are located at:

Chittenango (W. S.)

Oneida Castle.

Clark's Mills.

7. Sidings.

At sidings the inferior train must take the first switch unless otherwise designated.

At points where switches are interlocked, and operated from a block station, train movements will be governed by the signals provided.

Trains moving to or from middle or passing sidings at switches controlled from block stations by means of electric switch locks, will be governed by special instructions bulletined in the switch cabins, and exchange proper signals with Signalman over bell circuit before and after using switches, or over telephones where they are provided.

8.

9. Use of Main Tracks.

Double track is in use as follows:

Between Syracuse (W. S.) and Utica (Genesee St.). When running on double track all trains will keep to

When running on double track all trains will keep to the right.

Three tracks are in use as follows:

Between Clarks Mills and Vernon Grade.

No. 2 (northerly track) by west bound electric trains.No. 2 middle (middle track) by west bound steam trains.No. 1 (southerly track) by east bound combined electric and steam trains.

Between Vernon Grade and Vernon.

No. 2 (northerly track) by combined west bound electric and steam trains.

No. 2 middle (middle track) by east bound steam trains. No. 1 (southerly track) by east bound electric trains.

Four tracks are in use between B.S. "CV," Lenox Avenue, located 1% miles west of Oneida Castle, and B.S. "CD," Canastota, and are to be used as follows:

No. 2 (northerly track) by west bound electric trains.

No. 2 middle (second track from the north) by combined west bound electric and steam trains.

No. 1 middle (third track from the north) by combined east bound electric and steam trains.

No. 1 (southerly track) by east bound electric trains.

Four tracks are also in use between B.S. "WU" and Utica (Genesee Street) and are to be used as follows:

No. 2 (northerly track) by west bound electric trains.

No. 2 middle (second track from the north) by west bound steam trains.

No. 1 middle (third track from the north) by east bound steam trains.

No. 1 (southerly track) by east bound electric trains. All trains using No. 1 middle or No. 2 middle, will display one green light by night to the rear in addition to the markers.

10.

11. Extra Trains may run ahead of second class trains.

12.

13. The speed of trains is restricted as follows:

First-class trains and passenger extras:

On curves and through station limits, not to exceed 45 miles per hour.

On curve, No. 1 track west of Wampsville, not to exceed 20 miles per hour.

All trains:

Across or through streets in cities, not to exceed 8 miles per hour.

On No. 2 track between Clarks Mills and Vernon, not to exceed 30 miles per hour.

Trains using sidings, crossovers or switches to and from main tracks or sidings, a speed of 10 miles per hour must not be exceeded, and as much less as may be necessary to insure absolute safety. This not only applies to switching movements, but also to movements made against the current of traffic.

14.

15. Train Order and Block Signals.

Rule 609, page 7, Book of Telegraphic Block Signal Rules taking effect March 15th, 1906, is modified as follows:

If circumstances render it necessary to card a passenger train into an occupied block or to card another train into a block occupied by a passenger train, it will be done after the operator has secured a 19 order for the train to be carded and the train which is so forwarded must have a caution card, Form 132, in addition to the train order. When any trains are carded in accordance with rule 609, above mentioned, they will be held until 10 minutes after the departure of the preceding train instead of 5 minutes.

16.

17.

18. Signals at Railroad Crossings at Grade. (See Rules 10a and 98, Book of Rules of the Operating Department, and Book of Block Signal Rules in effect Dec. 15, 1903.)

B. S. "W. U." D., L. & W. R. R.

New York Mills, N. Y., O. & W. R. R.

Crossing gates bearing a red target by day, or a red light by night, govern movements over these crossings.

Trains will stop not less than two hundred (200) nor more than eight hundred (800) feet from and before crossing, and will not proceed until gates have been swung clear of track.

125. All accidents or trouble occurring on the West Shore Electric Sub-division must be promptly reported, following the instructions given below, so far as possible:

(A) By joint message by telegraph or telephone, giving details, to the Assistant Superintendent of the N. Y. C. at Utica and the Electrical Engineer of the O. Ry. Company at Utica, who will issue the necessary instructions to the employees of their respective Companies.

(B) The Assistant Superintendent of the N. Y. C. at Utica will also notify the Electrical Engineer of the O. Ry. of all

troubles.

(C) The Electrical Engineer of the O. Ry. Company shall acknowledge as promptly as possible the receipt of report of the accident and take care of his portion of the trouble.

(D) In case it is deemed necessary to shut off the current, employees should notify the Assistant Superintendent of the N. Y. C. at Utica and the Electrical Engineer of the O. Ry. Company promptly, also the nearest sub-station, giving details.

(E) Whenever the electric current has been shut off the third rails for repairs or trouble, the Assistant Superintend-

ent at Utica shall be promptly notified.

(F) Whenever the trouble is cleared the Department concerned shall notify the Assistant Superintendent at Utica and the Electrical Engineer of the O. Ry. Company to that effect.

In case the current is shut off on any section of the third rail, the third rail is to be considered alive in that section up to the point of trouble.

List of Available Telephones in West Shore, Electric Subdivision.

Utica — (Genesee St.), Assistant Superintendent 1978 — 30 — Utica Exchange.

Utica — Oneida Ry. Co., 1978 — Utica Exchange. Utica, (Genesee St.) 959 — Utica Exchange.

New York Mills, 1948 — Utica Exchange.

Sub-station No. 1, Clarks Mills, 1978 — Utica Exchange. Hecla, private telephone line to Vernon Grade Block Station.

-Vernon, Bell telephone in station — Vernon Exchange. Sub-station No. 2, two miles west of Vernon, telephone 1978 — Utica Exchange. Oneida Castle, Oneida Ry. Company barn — Oneida Exchange.

Canastota, public telephone in station.

Sub-station No. 3, two miles west of Canastota, 1978 — Utica Exchange.

Sub-station No. 4, Manlius Center, 1978 — Utica Exchange. NOTE. — All of the above telephones are on the Bell Telephone System with the exception of the one at Hecla.

126. When the electric power has been off, each electric train, when power is on again, must wait one-half minute before starting, so that the proper distribution of power to all such trains will not be affected.

127. Clearance indicators or tell-tales for third rail protection have been erected on the West Shore Electric Subdivision at New York Mills, on the tracks where interchange is made with the D., L. & W. and N. Y., O. & W.; at Clark's Mills, where interchange is made with the N. Y., O. & W.; at Canastota, where interchange is made with the Lehigh Valley Road, and also where trains are crossed over from the Main Line to the West Shore, and at Kirkville Jct. on the connection.

Conductors will be particular to see that all cars in their trains clear these tell-tales, or they must not be allowed to enter upon the tracks of West Shore Electric Sub-division.

128. Trains will run with the current of traffic by block signals whose indications will supersede time table superiority. (See Rules 251, 252, 253 and 254, Book of Rules of the Operating Department.)

129. Train orders will be numbered consecutively each day beginning with No. 101 at midnight.

130. Rules 10 and 27, Book of Rules of the Operating Department, effective January 19th, 1908, are modified so as to continue the use on West Shore Electric Sub-division, of white and green color signals as indication for "Proceed" and "Proceed with caution," respectively.

F. A. HARRINGTON, Superintendent.

W. K. McCOY,

Assistant Superintendent.

I. H. McEWEN,

Assistant Superintendent, West Shore Electric Sub-division.

F. B. HARRINGTON,

Assistant to the Superintendent.

W. H. SPICE, G. D. DAGER, D. B. FLEMING,

M. H. MURRAY, C. H. STECKEL, L. PHELPS, D. E. McKAY, Chief Train Dispatcher.

A. J. TESSIER, Chief Train Dispatcher, M. & M. and St. L. & A.

ALBANY TO SYRACUSE.

WEST BOUND - FIRST CLASS - TRACK 2.

Continued on page 10.

		31	1019	27	35	33	37	59	547	1091	39	43	555	201	203	57
Miles from Albany.	STATIONS.	Spec'l Amer. Exp.	Nat'l Exp.	Amer. Exp.	Spec'l Mail Lim.	West. New York Exp.	Pacific Ex- press.	North'rn and Western Express.	& O.	Can 'jo- harie Local,	Milk.	Fast Mail.	R. W. & O. Passen- ger.	Che- nango Branch	Che- nango Branch.	Buffalo Exp.
illes fron		Daily exc'pt Mon.	Daily except Mon.	Daily except Mon.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily except Sunday	Daily. (See note.)	Daily	Daily except Sunday.	Daily.	Daily except Sunday.	Daily
2	LEAVE.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A, M,	A. M.	A. M.	NOON.	A. M.
3.07 8.11	Albany West Albany Karner	12 05 12 22		12 30 12 47	12 45	1 05	1 50	3 15 3 33			6 25	6 40 6 56				7 40 8 00
13.65		12 30		12 55	1 10	1 32	2 18	3 42			6 55	7 02				8 09
16.91 26.17 32.76 35.78 38.38	Akin	12 36 12 48	A, M. 1 00	1 01 1 13	1 16 1 29	1 50	s 2 27 2 43 s 2 58	3 48 4 00			7 12 7 29	7 07 7 19				s 8 20 8 36 s 8 50
43.32 48.58 51.85 54.79 57.87	Yosts Sprakers	1 11	1 24	1 36	1 52	2 13	s 3 18	4 24			8 05	7 38				s 9 10 s 9 29 s 9 37
63.78 66.90 73.50 80.55 83.03	East Creek Little Falls Herkimer	1 38 1 51 2 00	1 51 2 04 2 14	2 03 2 16 2 25	2 20 2 33 2 42	2 53	3 58 s 4 19 s 4 34	5 04			8 43 9 03 9 15	8 13				s 9 47 s10 05 s10 18
85.13 91.09 94.59	Schuyler Junc.		2 21 2 29 s 2 35 2 40	s 2 45	2 49 2 56 s 3 01 3 04	3 11 3 19 s 3 24 3 29	s 5 00	5 28 s 5 33	A. M.	A. M, 7 44 s 7 50 7 53	The state of the s	s 8 39				10 26 10 33 s10 38 10 44
98.46 101.47 109.00 113.20 117.83	Oriskany Rome Greenway	2 45	3 01	3 10	3 25	8 50	s 5 36	s 6 06			10 25	9 02	E 9 06 E 9 10 A 9 20 A. M.		x = 1	s11 10 s11 22
121.79 124.59 126.90 130.70 133.06	Wampsville Canastota	3 01	3 17		3 41	4 07	s 5 57 s 6 08 6 13	s 6 35		s 8 48 8 53 s 9 00 9 06 s 9 12	A. M.	9 17				s11 40 11 45
139.64 143.04	East Syracuse B. S. "48"	3 21 3 30 3 45	3 37 3 45 4 00	3 55		4 35	6 30	7 00		s 9 19 s 9 25 s 9 30 9 45		9 34 9 42 9 55		A. M. L10 53 11 05	NOON. L 12 00 12 12	11 55 12 05 12 20
701	ARRIVE.	A. M.	A. M.	A. M.	A. M	A. M	A. M.	A. M.	A. M.	A. M.	А. М.	A. M.	A. M.	A. M.	Р. М.	P. M.

E-No. 555 will stop at Whitesboro and Oriskany on signal to receive passengers for Rome and stations on R., W. & O. Division. Nos. 31, 27 and 35 will not carry passengers.

No. 1019 will use connection between Rotterdam Junction and Hoffmans from West Shore.

No. 1091 will use connection between Harbor and Schuyler Junction from West Shore.

No. 39 will not carry passengers, and will stop as indicated by special order.

No. 39 will use track 3 from Carman to Schenectady.

ALBANY TO SYRACUSE.

Continued from page 9.

WEST BOUND - FIRST CLASS - TRACK 2.

		1009	61	63	51	541	3	1021	45	7	205	41	543	9	11	15
Miles from Albany.	STATIONS.	West Shore Local.	Milk.	Accom- modat'n	Empire State Express.	R. W. & O. Passen- ger.	Fast Mail.	The West Shore Lim.	Syrac'e Ex- press.	Day Ex- press.	Che- nango Branch	The Second Empire		Chic'go Special	South- west'rn Limit'd	Boston and Chicago Special.
illes fror		Daily.	Daily.	Daily.	Daily except Sunday.	Daily except Sund'y.	Daily.	Daily.	Daily. (See note.)	Daily.	Daily except Sunday	Daily.	Daily except Sund'y.	Daily	Daily.	Daily
A	LEAVE.	A. M.	A. M.	A. M.	A. M.	Р. М.	Р. М.	Р. М.	Р. М.	Р. М.	Р. М.	Р. М.	Р. М.	P. M.	Р. М.	Р. М.
8.07 8.11 13.65	Albany West Albany Karner Carman	7 45 7 53 8 04 8 14	111 100 1120	9 30 s 9 40 s 9 50 s 10 00	11 41		12 10 12 27 12 35		1 00 s 1 09 s 1 19 1 27	1 52		4 00 4 15 4 21		4 15 4 32 4 39	4 30 4 47 4 54	4 35 4 52 5 00
16.91 26.17 32.76 35.78 38.38	Schenectady Hoffmans Amsterdam Akin Tribes Hill		8 33	s 10 10 s 10 27 s 10 41 s 10 48 s 10 55	11 51 12 01	-	s12 44 12 58	1 13	s 1 35 s 1 49 s 2 02 s 2 08 s 2 14	2 24		4 28 4 40		s 4 46 4 59	s 5 01 5 14	s 5 07 5 20
43.32 48.58 51.85 54.79 57.87	Fonda		9 26	s 11 08 s 11 17 s 11 24 s 11 32 s 11 40			1 18	s1 57	s 2 26 s 2 35 s 2 42 s 2 48 s 2 54			4 58		5 19	5 34	J 5 42
63.78 66.90 73.50 80.55 83.03	St. Johnsville East Creek Little Falls Herkimer Ilion		10 10	s 11 51 s 11 57 s 12 12 s 12 26 s 12 33	12 57		1 54	s2 27	s 3 05 s 3 11 s 3 25 s 3 37 s 3 47	s 3 35		5 21 5 32 5 40		5 43 5 54 6 04	5 58 6 09 6 19	6 09 6 21 6 31
85.13 91.09 94.59	Frankfort Schuyler Junc. UticaA UticaL			s 12 40 12 50 12 55 P. M.	1 08	P. M.		2 55	s 4 20	3 55 4 02 s 4 07 4 12		5 46 5 52 s 5 59	Р. М.	-	6 25 6 31 8 6 35 6 38	6 38 6 44 s 6 49 6 52
98.46 101.47 109.00 113.20 117.33	Oriskany Rome Greenway				1 31	1 26 1 30 A 1 40 P. M.		s3 30	s 4 34 s 4 41 s 4 56 s 5 07 s 5 18			6 17	6 11 6 16 A 6 25 P. M.		6 56	7 11
121.79 124.59 126.90 130.70 133.06	Oneida Wampsville Canastota Sullivan Chittenango	Р, М.			1 44		3 00		s 5 30 s 5 36 s 5 44 s 5 52 s 5 58	s 5 07		6 32		6 57 7 08	7 12 7 23	к 7 27 7 38
139.64 143.04	East Syracuse. B. S. "48"	1 35 A1 50			2 00 2 06 2 18		3 25		s 6 03 s 6 08 s 6 15 6 30	5 30	P. M. 16 33 6 45	6 49 6 56 7 10		7 15 7 22 7 35	7 30 7 37 7 50	7 45 7 55 8 10
	ARRIVE.	P. M.	A. M.	Р. М.	P. M.	P. M.	Р. М.	Р. М.	Р. М.	P. M.	P. M.	Р. М.	P. M.	Р. М.	P. M.	P. M.

No. 61 will not carry passengers, and will stop as indicated by special order.

No. 1009 will use detour line between Carman and South Schenectady to West Shore.

No. 1009 will use connection between Kirkville Junction and Kirkville from West Shore.

No. 51 is superior to all trains.

No. 1021 will use connection between Rotterdam Junction and Hoffmans from West Shore.

J - No. 15 will stop at Fonda on signal to receive passengers for stations west of Buffalo.

K-No. 15 will stop at Oneida on signal to discharge passengers from New York and New England and to receive passengers for stations west of Buffalo.

No. 45 will use track 3 from Ilion to Frankfort.

ALBANY TO SYRACUSE.

WEST BOUND - FIRST CLASS - TRACK 2.

1007	47	25	1001	67	17	21	19	23	49	1003	55	29		
West Shore.	New Y'k & Syra'e Accom- modat'n	The 20th Century Limited.	West Shore Contin'al Limited.	New Y'k Mohawk Valley Express.	The Wol- verine.	Fast Mail.	The Lake Shore Limited.	West- ern Ex- press.		Limit'd Ex-	Adiron- dack and Montre'l Express.	Buffalo and Clev'l'd Special.		STATIONS
Daily except un'dy.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.		
Р. М.	Р. М.	Р. М.	Р. М	P. M.	Р. М.	Р. М.	Р. М.	Р. М.	Р. М.	A. M.	Р. М.	P. M.		LEAVE.
	5 00 s 5 09 s 5 19 s 5 29	6 12		7 20 7 27 7 36 7 45	8 17	8 59	9 11	10 17	10 45 11 01 11 10		11 05 11 21 11 30		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	Albany. West Albany. Karner. Carman.
	s 5 39 s 5 54 s 6 07 s 6 18 s 6 19	6 33	The second second					The second second	s11 17 11 29	Marine Committee	- 17.7	s12 15 12 28		Schenectady. Hoffmans. Amsterdam. Akin. Tribes Hill.
	s 6 32 s 6 46 s 6 46 s 6 54 s 7 11			s 8 35 8 41 8 45 s 8 51 s 8 58		9 43	10 00	11 18	11 52		12 10	12 49		Fonda. Yosts. Sprakers. Palatine Bridg Fort Plain.
	s 7 22 s 7 27 s 7 41 s 7 55 s 8 01	7 22 7 30	8 48	9 13 8 9 23	9 46 9 55	10 08 10 20 10 29	10 41	11 57	12 20 12 34 12 44		12 37 12 50 12 59	1 30		St. Johnsville East Creek. Little Falls. Herkimer. Ilion.
P. M. 7 09 7 15 P. M.		7 40	s 9 11	9 53 10 00	10 09 s10 15		11 05 s 11 09	12 14 12 20 12 20 12 32	12 59 s 1 05		1 06 1 13 1 18 A. M.	The state of the s		Frankfort. Schuyler June Utica. Utica.
	s 8 38 8 38 s 8 56 s 9 09 s 9 09	8 02	9 38		в10 39	11 10	11 31	s12 54	1 29	80		2 25		Whitesbore. Oriskany. Rome. Greenway. Verona.
	s 9 20 9 20 s 9 33 s 9 40 s 9 40	8 24				11 25		s 1 14				2 41		Oneida. Wampsville. Canastota. Sullivan. Chittenango.
	s 9 58 s 9 58 s 10 08	8	10 07 10 18 10 30	5	11 25	3 11 42 5 11 50 0 12 05	12 1	1 4	2 10	'2 32 2 37		3 01 3 10 3 25		Kirkville. Minoa. East Syracuse B. S. "48" Syracuse.
Р. М.	P. M.	P. M.	P. M.	P. M.	D M	A. M.	A W	A. M.	A. M.	A. M.	A. M.	A. M.		ARRIVE.

No. 1007 will use connection between Harbor and Schuyler Junction from West Shore.

No. 25 is superior to all trains except No. 51.

R-No. 25 will stop at Utica on signal to receive passengers for Chicago.

c-No. 19 will stop at Schenectady on signal to receive passengers for Erie and stations west.

No. 1001 will use connection between Rotterdam Junction and Hoffmans from West Shore.

No. 1003 will use connection between Kirkville Junction and Kirkville from West Shore.

B-No. 17 will stop at Rome on signal to discharge passengers from New York and New England, and to receive passengers for stations west of Buffalo.

SYRACUSE TO ALBANY.

EAST BOUND - FIRST CLASS - TRACK 1.

		44	4	46	6	8	54	68	26	1008	. 10	56	202	16	542
Miles from Syracuse	STATIONS.	Clevel'd N. York Special.	Fast Mail	New England Special. East	Chicago, Clevl'd & N. York Special.	The Wol- verine	Adiron'k and Montreal Express	Mohawk Valley N. York Express.	The 20th Century Limited.	West Shore.	Chicago and Boston Special.	Accom- modat'n	Chen- ango Branch.	N York and New England Express.	R. W. & O Pass enger.
es from		Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily (See note)	Daily.	Daily except Sunday	Daily.	Daily.	Daily except Sunday.	Daily.	Daily except Sund'y
W	LEAVE.	A M.	A. M.	A. M.	A M	A. M.	A. M.	A. M.	A. M.	A. M.	Λ. Μ.	A. M.	A. M.	A. M.	A. M.
2.55 4.67 8.07	Syracuse B S "48" East Syracuse . Minoa Kirkville.	12 15 12 36		12 46				2 30			5 85	s 6 40 s 6 46	A 7 57 A. M.		
		12 50	1 00	1 07	1 39	2 14		2 50	3 48		5 58			8 23	
17.01 20.81 23.12	Chittenango Sullivan Canastota Wampsville	12 45	1 09	1 16				3 01 s 3 05			6 07	s 7 10 s 7 15		8 31	
-	Oneida	12 55	1 20	1 27	1 56	2 31		s 3 13	4 04		6 19		1	8 43	
34.51	Verona	1 11	1 35	1 43	2 11	2 47		s 3 30	4 18		6 36	s 7 29 s 7 38 s 7 48		s 9 00	A. M. L 9 20
	Oriskany Whitesboro											s 8 02 s 8 08			9 38
56.62	Utica A Utica I Schuyler Junc. Frankfort .	s 1 30 1 35 1 40 1 46	s 1 53 1 57 2 02 2 08	s 2 02 2 05 2 10 2 16	100	s 3 06 3 09 3 14 3 22	A. M. 4 10 4 15 4 22	8 3 55 5 20 5 25 5 88	4 35 4 39	6 35 6 41	s 6 55 7 00 7 05 7 11	8 20 8 26	WE TO	s 9 23 9 25 9 30 9 38	A. M.
67.16 74.21 80.81	llion	1 53 2 02	2 15 2 23	2 23 2 32	2 49 2 57	3 29 3 37	4 2~ 4 38	s 5 52 6 02	4 51 4 59		7 17 7 27	s 9 05 s 9 17		9 45 9 55	1 1 1 1 1 1 1 1 1
89.84	St. Johnsville . Fort Plain	2 17	2 35	2 44	3 08	3 49	4 51 5 18	s 6 18	5 15		7 40	s 9 35		10 09	
95.86 99.13	Palatine Bridge Sprakers Yosts	2 43	3 00	8 09	3 32	4 14	. 5 38	s 6 24 6 28 6 32 s 6 41			8 08	s 9 45 s 9 50 s 9 57 s 10 12		10 36	
109.33	Tribes Hill							s 6 50 6 54 s 7 02				s 10 21 s 10 26 s 10 37			
121.54	Hoffmans	3 08 3 25	3 20 3 35	3 29 3 43		4 34 4 48	5 58 6 13	1		Comb.		s 10 49 s 11 09		11 00 s 11 18	1
139.60	Karner West Albany	3 30 3 38	3 40 8 50	8 50 8 59					6 11		The state of the s	s 11 33 s 11 45 s 11 59		11 24 11 33	No.
47.71	Albany	8 55	4 05	4 15	4 80	5 15	6 40	The second secon			-9 20	12 05		11 50	
no suite du	ARRIVE.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A M.	A. M.	A. M.	P. M.	A. M.	A. M.	A. M.

No. 26 is superior to all trains except No. 50. No. 1008 will use connection between Schuyler Junction and Harbor to West Shore.

No. 68 will not run between Utica and Albany on Sunday.

SYRACUSE TO ALBANY.

EAST BOUND - FIRST CLASS - TRACK 1.

Continued on page 14

1004	2	E0	99	1010	10	E 4 4	11	90	1000	40	904	00	10	70	EO	
West	Day Express.	The Metropolitan.	The Lake Shore Limited	West Shore Local Exp.	South- west- ern Lim.	R.W. & O. Passenger.	East- ern Exp.	Milk.	The West Shore Lim.	The New Y'ker.	Chen- ango Branch	Accom- moda- tion	48 Milk.	Accommodat'ı.	Empire State Express.	STATIONS.
Daily.	Daily except Sunday	Daily.	Daily.	Daily.	Daily.	Daily except Sun- day	Daily	Daily.			Daily.	Daily.	Daily,	Daily except Sunday	Daily except Sunday	
A. M.	A. M.	A. M.	A. M.	А. М.	A. M.	Р. М.	Р. М.	Р. М.	Р. М.	Р. М.	Р. М.	Р М.	Р. М.	Р. М	Р. М.	LEAVE.
9 05	9 40 s 9 45	10 40		L11 10	11 15		12 30 12 53			1 25	A 2 12 P. M.	MATTER STATE	20 年	3 00 s 8 15 s 8 21 s 3 26	3 57 4 14	B S "48." East Syracuse. Minoa.
9 37	9 53 9 57 s 10 02 10 06 s 10 12	11 06		A, M.	11 45 11 56		1 01	P. M.	st 31	1 51 2 02				s 3 33 s 3 38 s 3 46 s 3 52 s 3 58	4 22	Chittenango. Sullivan. Canastota Wampsville. Oneida.
10 07	f 10 18 f 10 25 s 10 33 10 47 10 53	11 31	11 47		12 11	P. M. L 12 16 12 26 12 31	s 1 35	A 1 05 L 1 40	s1 58	2 17				s 4 07 s 4 15 s 4 23 s 4 37 s 4 43	4 43	Verona Greenway. Rome. Oriskany. Whitesboro.
s 10 27 10 30 10 35 10 41	-	s 11 51 11 54 11 59 12 07			s12 29 12 32 12 37 12 43	12 36 P. M.	s 1 55 2 00 2 05 2 13	2 43 2 50	222			P. M. 3 05 3 11 s 3 22		8 4 50 6 00 6 06 8 6 16	s 5 02 5 07 5 14	Utica. A Utica. I Schuyler Junc. Frankfort.
10 57	s 11 25 s 11 30 s 11 42 11 53 s 12 00	12 14 12 22 12 35	12 29 12 37 12 49		12 50 12 58 1 10		s 2 26 s 2 40 s 2 55	3 12 3 30 3 45		2 57 3 05 3 17		s 3 28 s 3 34 s 3 46 s 3 58 s 4 05	P. M. 1. 4 00 4 15	s 6 43 s 6 55	5 19 5 27 5 38	llion. Herkimer, Little Falls, East ('reek, St. Johnsville,
11 37	s 12 10 s 12 16 12 21 12 26 s 12 36	1 01	1 14		1 35		s 3 05 s 3 14 s 3 46	4 05 4 10 4 30		3 41		s 4 17 s 4 25 s 4 31 s 4 38 s 4 52	5 05	s 7 14 s 7 23 s 7 29 s 7 35 s 7 49	6 01	Fort Plain. Palatine Bridge Sprakers. Yosts. Fonda.
12 00 NOON	-		1 34 к 1 48	P. M.	1 55 s 2 10		s 4 08 4 18 s 4 35	4 56		4 02 ~4 14		s 5 02 5 07 s 5 14 s 5 26 s 5 45	5 33	7 59 8 05 8 13 8 8 25 8 8 45		Tribes Hill. Akin. Amsterdam. Hoffmans. Schenectady.
	1 32 1 40 1 49 1 55	1 41 1 50 2 05		5 00 5 10 5 20 5 30	2 16 2 25 2 40		4 41 4 50 5 05			4 19 4 28 4 42		5 52 s 6 03 s 6 14 6 20	6 11	s 8 51 s 9 01 s 9 14 9 20	6 42	Carman. Karner. West Albany. Albany.
NOON	Р М.	Р. М.	P. M.	P. M.	Р. М.	P. M	Р. М.	P. M.	Р. М.	P. M.	Р. М.	Р. М	P. M.	Р. М	Р. М	ARRIVE.

No. 1004 will use connection between Hoffmans and Rotterdam Junction to West Shore.

No. 50 is superior to all trains.

K-No. 22 will stop at Schenectady on signal to discharge passengers from stations west of Buffalo.

Nos. 38 and 48 will not carry passengers and will stop as indicated by special order.

No. 1018 will use connection between Kirkville and Kirkville Junction to West Shore.

No. 1018 will use detour line between South Schenectady and Carman, from West Shore.

No. 1002 will use connection between Schuyler Junction and Harbor to West Shore.

SYRACUSE TO ALBANY.

Continued from page 13.

EAST BOUND-FIRST CLASS-TRACK 1.

		206	1092	34	28	548	32	42	1020	24	36	1006	30		
Miles from Syracuse	STATIONS.	Chen- ango Branch.	Canajo- harie Local,	American and National Express.	N. York Express.	R. W. & O. Pass- enger.	Fast Mail.	Boston and N. York Express.	National Express	American Express.	Atlantic Express.	West Shore Atlantic Exp.	Buffalo Special		
les from		Daily except Sunday.	Daily except Sunday.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily except Sunday.	Daily.	Daily.	Daily.	Daily.	1000	
Mi	LEAVE.	P. M.	P. M.	P. M.	P. M.	P. M.	Р. М.	P. M.	P. M.	Р. М.	P. M.	P. M.	P. M.		
2.55 4.67 8.07	Syracuse B S "48" East Syracuse Minoa	The second second	5 00 s 5 15 s 5 21		7 40		8 40	8 57	X 1-10	10 05	11 05	11 25	11 40		
10.63			5 27	7 43	8 00		9 01	9 17		10 26	11 27	11 47	12 03	2000	
14.65 17.01 20.81 23.12	Chittenango Sullivan Canastota Wampsville		s 5 35 5 40 s 5 48 5 52	7 53	8 J0 8 8 18		9 10	9 25 s 9 30		10 36	11 35	Р. М.	12 11 s12 18	70 g	TWIE
25.92	Oneida		s 6 00	1	s 8 29		9 20	9 37		10 48	11 47		s12 28		
30.38 34.51 38.71 46.24 49.25	Verona	(1) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	s 6 08 s 6 16 s 6 26 s 6 38 s 6 42	8 27	s 8 49	P. M. L. 9 25 9 37 9 43		s 9 55	EX BITS	11 05	s 12 04		12 48		
53.12 56.62 62.58	UticaL Schuyler June.		s 6 50 6 55 7 00 P. M.	8 58	9 18 9 23		89 55 10 00 10 05 10 11	The second second	10 45 10 51	100000000000000000000000000000000000000	s 12 25 12 30 12 35 12 43		s °1 08 1 10 1 15 1 23		
64.68 67.16 74.21 80.81 83.93	Herkimer Little Falls East Creek			9 20 9 31 9 45		Sel	10 17 10 27 10 42	10 48		11 53 12 03 12 17	12 50 1 00 1 14		1 30 1 40 1 53		
89.84 92.92 95.86 99.13 104.39	Yosts			10 12	s 10 21 s 10 28 s 10 50		11 08	11 27		12 44	1 41		2 20		,
109.33 111.93 114.95 121.54 130.80	Tribes Hill Akin Amsterdam Hoffmans Schenectady			10 40 s 10 55	s 11 09 11 19 s 11 37		11 31 s11 50	11 49 s 12 05		1 02 s 1 28	2 05 s 2 23	KAR EN	2 45 3 00		
134.06 139.60 144.64 147.71	Carman Karner West Albany			11 00 11 09 11 25	11 53		11 55 12 03 12 20	12 20		1 33 1 43 2 00	2 38		3 05 3 13 3 30		
	ARRIVE.	Р. м.	P. M.	Р. М.	A, M.	P. M.	A. M.	A. M.	P.M.	A. M.	A. M.	Р. М.	A. M.		

Nos. 34, 32 and 24 will not carry passengers.

No. 1006 will use connection between Kirkville and Kirkville Jct. to West Shore.

No. 1020 will use connection between Schuyler Junction and Harbor to West Shore.

No. 1092 will use connection between Schuyler Junction and Harbor to West Shore.

TROY TO SCHENECTADY.

WEST BOUND - FIRST CLASS.

		878	857	845	847	
Miles from Troy.	STATIONS.	ACCOMMO- DATION.	BUFFALO EXPRESS.	Express.	SYRACUSE ACCOMMO- DATION.	
es froi		Daily except Sunday.	Daily.	Daily except Sunday.	Daily.	
Mil	LEAVE.	A. M.	A. M.	P. M.	P. M.	
	Troy N Green Island D Cohoes D Crescent D	s 5 50 s 5 57		s 12 42	4 15 s 4 20 s 4 27 s 4 32	
9.30 11.58 17.57	Dunsbach Ferry D Mohawk View D Niskayuna D Aqueduct D Schenectady N	f 6 11 s 6 15 s 6 26		f 12 56 s 1 01	s 4 35 f 4 39 s 4 45 s 4 55 5 05	
	ARRIVE.	A. M.	A. M.	Р. М.	P. M.	

SCHENECTADY TO TROY.

EAST BOUND - FIRST CLASS.

		848	810	858	866	
Miles from Schenectady.	STATIONS.	ACCOMMO- DATION.	ACCOMMO- DATION.	DAY EXPRESS.	ACCOMMO- DATION.	
es fron Schen		Daily except Sunday.	Daily.	Daily except Sunday.	Daily.	
Mill	LEAVE.	A. M.	A. M.	P. M.	P. M.	
3.82 9.81 12.09 13.93	Niskayuna	s 7 08 s 7 18 f 7 22	9 00 s 9 08 s 9 18 f 9 22 s 9 26	2 00 s 2 12 s 2 21 f 2 25 s 2 30	6 05 s 6 14 s 6 23 f 6 27 s 6 32	
17.74 20.77	Crescent D Cohoes D Green Island D Troy N	s 7 37 s 7 43	s 9 30 s 9 35 s 9 40 9 45	s 2 40	s 6 40 s 6 45 s 6 51 6 55	
	ARRIVE.	A. M.	A. M.	P. M.	Р. М.	

On single track, west bound trains are superior to east bound trains of the same class unless otherwise specified.

ALBANY TO TROY.

WEST BOUND - FIRST CLASS.

ny.	The state of the s	27	73	731	11	733	37	735	737	739
Alba	STATIONS.	AMERICAN EXPRESS	NEW YORK CONNECTION.	BELT LINE.	D. & H. Express.	BELT LINE.	D. & H. Express.	BELT LINE.	BELT LINE.	BELT LINE.
Miles from Albany.		Daily except Monday	Daily.	Daily except Sunday.	Daily.	Daily.	Daily except Sunday.	Daily.	Daily.	Daily.
Mile	LEAVE.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	Р. М.	Р. М.
	Albany		6 25	7 30	8 30	9 30	10 00	10 30	12 30	1 30
0.57			s 6 30 s 6 33	s 7 35 s 7 38		s 9 35 s 9 38		s 10 35 s 10 38	s 12 35 s 12 38	s 1 35 s 1 38
5.27	Iron Works		s 6 41	s 7 46		s 9 46		s 10 46	s 12 46	s 1 46
6.27			s 6 44 s 6 46	s 7 49 s 7 51		s 9 49 s 9 51		s 10 49 s 10 51	s 12 49 s 12 51	s 1 49 s 1 51
	Troy		6 50	7 55	8 50	9 55	10 20	10 55	12 55	1 55 65
	ARRIVE.	A. M.	A M.	A. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.

ny.		65	741	743	745	747	749	751	753	71
a Alba	STATIONS.	RUTLAND.	BELT LINE.	BELT LINE EXPRESS.	BELT LINE.	NORTHERN EXPRESS.				
Miles from Albany.		Daily except Sunday.	Daily.	Daily.	Daily.	Paily.	Daily.	Daily.	Daily.	Daily.
Mile	LEAVE.	P. M.	Р. М.	P. M.	Р. М.	Р. М.	P. M.	P. M.	P. M.	P. M.
	Albany		3 30	4 80	5 30	6 30	7 30	8 40	10 30	
0.57		Control of the latest and the latest	s 3 35 s 3 38	s 4 35 s 4 38	5 35 s 5 38	s 6 35 s 6 38	s 7 35 s 7 38		s 10 35 s 10 38	10 45
5.27	Iron WorksD		s 3 46	s 4 46	s 5 46	s 6 46	s 7 46		s 10 46	
	Madison StD Adams StD		s 3 49 s 3 51	s 4 49 s 4 51	s 5 49 s 5 51	s 6 49 s 6 51	s 7 49 s 7 51	1	s 10 49 s 10 51	
	Troy N			4 55	5 55	6 55	7 55	9 00	10 55 71	11 00 758
	ARRIVE,	P. M.	P. M.	P. M.	P. M.	P. M.	P. M.	P. M.	P. M.	P. M.

	1	755				PER TANE	
Albany	STATIONS.	BELT LINE.					
Miles from Albany.		Daily except Sunday.				Short L	
Mil	LEAVE.	P. M.					
1.40 5.27 6.27 6.60	Albany N Rensselaer N Forbes Ave D Iron Works D Madison St D Adams St D Troy N	s 11 35 s 11 38 s 11 46 s 11 49 s 11 51					
	ARRIVE.	P. M.			7		

No. 27 will not carry passengers.

TROY TO ALBANY.

EAST BOUND - FIRST CLASS.

		96	62	66	732	734	736	70	738	14	740
Troy	STATIONS.	AMERICAN EXPRESS.	NORTHERN EXPRESS.	NEW YORK CONNEC- TION.	BELT LINE.	BELT LINE.	BELT LINE.	TROY SPECIAL.	BELT LINE.	D. & H. Express.	BELT LINE
Miles from		Daily except Monday.	Daily.	Daily.	Daily except Sunday.	Daily except Sunday.	Daily.	Daily except Sunday.	Daily.	Daily.	Daily.
Mil	LEAVE.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.
	Troy N	2 50	3 00	5 20	6 30	7 30	8 30	10 00	10 30	10 50	11 30
0.71	Adams StD			f 5 23	s 6 33	s 7 33	s 8 33		s 10 33		s 11 33
1.04	Madison StD				s 6 35	s 7 35	s 8 35		s 10 35		s 11 35
2.04	Iron Works. D			s 5 26	s 6 38	s 7 38	s 8 38		s 10 38		s 11 38
5.91	Forbes AveD			s 5 31	s 6 46	s 7 46	s 8 46		s 10 46		s 11 46
6.74	RensselaerN	3 05	3 20	s 5 40	s 6 50	s 7 50	s 8 50	10 15	s 10 50		s 11 50
7.31	AlbanyN			5 45	6 55	7 55	8 55		10 55	11 10	11 55
	ARRIVE.	A. M.	A.M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A.M.

	Jac Događaja	742	744	746	748	64	750	752	754	756	758
Troy.	STATIONS.	BELT LINE.	BELT LINE.	BELT LINE.	BELT LINE.	RUTLAND.	BELT LINE.	BELT LINE.	BELT LINE.	BELT LINE,	BELT LINE.
Miles from		Daily.	Daily.	Daily.	Daily.	Daily except Sunday.	Daily.	Daily.	Daily.	Daily.	Daily.
Mile	LEAVE.	Р. М.	P. M.	P. M.	P. M.	Р. М.	Р. М.	P. M.	Р. М.	Р. М.	P. M.
	Troy	12 30	1 30	2 30	3 30	4 20	5 30	6 30	7 30	9 30	10 30
0.71	Adams StD	s 12 33	s 1 33	a 2 33	s 3 33		s 5 33	s 6 33	s 7 33	s 6 33	s 10 33
1.04	Madison StD	s 12 35	s 1 35	s 2 35	s 3 35		s 5 35	s 6 35	s 7 35	s 9 35	s 10 35
2 04	Iron Works D	s 12 38	s 1 38	s 2 38	s 3 38		s 5 38	s 6 38	s 7 38	s 9 38	s 10 38
5.91	Forbes AveD	s 12 46	s 1 46	s 2 46	s 3 46		s 5 46	s 6 46	s 7 46	s 9 46	s 10 46
6.74	RensselaerN	s 12 50	s 1 50	s 2 50	s 3 50		s 5 50	s 6 50	s 7 50	s 9 50	s 10 50
7.31	AlbanyN	12 55	1 55	2 55	3 55	4.40	5 55	6 55	7 55	9 55	10 55
	ARRIVE.	P. M.	P. M.	P. M.	Р. М.	P. M.	P. M.	P. M.	P. M.	P. M.	P. M.

		760	1000			2000	
Troy	STATIONS.	BELT LINE.					
Miles from Troy.	1000	Daily except Sunday.					
Mile	LEAVE.	P. M.					
	Troy						
	Adams StD Madison StD						
2.04	Iron Works D Forbes Ave D	s 11 38			4		
6.74	RensselaerN	s 11 50					
7.31	AlbanyN	11 55					
	ARRIVE.	P. M.					

No. 96 will not carry passengers.

WEST SHORE R. R. - RAVENA TO UTICA.

Ravena Ravena Ravena So. Bethlehem S	WEST BOUND -	I LICH	· Chia.	,,,,				SL	COND CLASS.
Ravena 4.43 So. Bethlehem 8.00 Feura Bush	91	9	1021	7	1001	3	1019	81	
Ravena 4.43 So. Bethlehem 8.00 Feura Bush 11.91 New Scotland 13.97 Voorheesville 17.59 Guilderland Center 19.13 Fullers Carman (Main Line 24.35 So. Schenectady 28.12 Crawford's Grade 31.43 Rotterdam Junction 33.00 Pattersonville 99.79 South Amsterdam 44.58 Fort Hunter 46.43 Auriesville 50.10 Fultonville 54.83 Downing 58.78 Sprakers 62.05 Canajoharie 65.51 Fort Plain 70.93 St. Johnsville 72.82 Mindenville 70.93 St. Johnsville 72.82 Mindenville 76.13 Indian Castle 80.99 Little Falls 84.86 Jacksonburgh 88.45 Mohawk 88.78 B. S. "M. X." 90.58 Ilion 90.58 Ilion 91.34 B. S. "F. J."	VS. Canajo harie Local.	Local Express.	The West Shore Limited.	Mohawk & Hud'n River Express.	Conti- nental Limited.	Chicago Limited Express.	National Express.	Mixed.	
Ravena 4.43 So. Bethlehem 8.00 Feura Bush	Daily. except Sunday	Daily.	Daily.	Daily except Sunday.	Daily.	Daily.	Daily except Sunday.	Daily except Sunday.	
4.43 So. Bethlehem	A. M.	A. M.	P. M.	Р. М.	Р. М.	Р. М.	Р. М.	A. M.	
17.59 Guilderland Center 19.13 Fullers Carman (Main Line 24.35 So. Schenectady 28.12 Crawford's Grade 31.43 Rotterdam Junction 33.00 Pattersonville 39.79 South Amsterdam 44.58 Fort Hunter 46.43 Auriesville 50.10 Fultonville 54.83 Downing 58.78 Sprakers 62.05 Canajoharie 65.51 Fort Plain 70.93 St. Johnsville 70.93 St. Johnsville 72.82 Mindenville 76.13 Indian Castle 80.99 Little Falls 84.86 Jacksonburgh 88.45 Mohawk 88.78 B. S. "M. X." 90.58 Ilion 91.34 B. S. "F. J."		Leave Albany N.Y.C. Stat'n 7.45.	12 15 12 22 12 28 12 34 12 39	s 3 58 s 4 05 s 4 12	6 30 6 37 6 42 6 47 6 52	10 32 10 38 10 44	11 52 11 58 12 05	s 6 42 s 6 55 s 7 05	
24.35 So. Schenectady 28.12 Crawford's Grade 31.43 Rotterdam Junction 33.00 Pattersonville 39.79 South Amsterdam 44.58 Fort Hunter 46.43 Auriesville 50.10 Fultonville 50.10 Fultonville 54.83 Downing 58.78 Sprakers 62.05 Canajoharie 65.51 Fort Plain 70.93 St. Johnsville 70.93 St. Johnsville 72.82 Mindenville 76.13 Indian Castle 80.99 Little Falls 84.86 Jacksonburgh 88.45 Mohawk 88.78 B. S. "M. X." 90.58 Ilion 91.34 B. S. "F. J."	, D	A M. 8 14	12 44 12 47	s 4 24	6 58 7 01	10 55	12 16	s 7 25	
33.00 Pattersonville 39.79 South Amsterdam. 44.58 Fort Hunter 46.43 Auriesville 50.10 Fultonville 54.83 Downing 58.78 Sprakers 62.05 Canajoharie 65.51 Fort Plain 70.93 St. Johnsville 72.82 Mindenville 76.13 Indian Castle 80.99 Little Falls 84.86 Jacksonburgh 88.45 Mohawk 88.78 B. S. "M. X." 90.58 Ilion 91.34 B. S. "F. J."	N	s 8 27 8 33 s 8 40	12 57 1 02	4 42	e 7 95		12 37	A. M.	
39.79 South Amsterdam. 44.58 Fort Hunter	L	s 8 45	1		7 35		'		
54.83 Downing	N	s 8 57 s 9 09		s 4 53 s 5 05 s 5 13	Р. М.	11 43 11 49			
58.78 Sprakers 62.05 Canajoharie 65.51 Fort Plain 70.93 St. Johnsville 72.82 Mindenville 76.13 Indian Castle 80.99 Little Falls 84.86 Jacksonburgh 88.78 B. S. "M. X." 90.58 Ilion 91.34 B. S. "F. J."	n	s 9 13 s 9 30		s 5 17 s 5 27		11 52 11 58			
70.93 St. Johnsville	D A. M.	s 9 45 s 9 54 s 10 10		s 5 36 s 5 43 s 5 51		12 06 12 11 12 16			
76.13 Indian Castle	s 6 48	s 10 33		s 5 59 s 6 09		12 21 12 29			
88.45 Mohawk	N S 6 58	f 10 38 8 s 10 53 8 s 11 05		s 6 19 s 6 29		12 32 12 37 12 43			
91.34 B. S. "F. J."	р s 7 29	s 11 15 s 11 25 l 11 26		s 6 38 s 6 45 6 46		12 48 12 52 12 53			
92.81 Frankfort	7 27	s 11 30 11 33 1 s 11 45		s 6 51 6 52 s 6 57		12 55 12 56 1 02			
97.99 Harbor	s 7 49	f 11 58		s 7 06 A 7 15		1 11			
103.73 Utica (Genesee Stree	st)D	12 10				1 22			

No. 91 and 7 will use connection between Harbor and Schuyler Junction to Main Line.

No. 9 will use Detour Line between Carman and South Schenectady from Main Line.

Nos. 1021, 1001 and 1019 will use connection between Rotterdam Junction and Hoffmans to Main Line.

No. 81 will carry passengers.

WEST SHORE R. R. - UTICA TO RAVENA.

EAST BOUND - FIRST CLASS.

		6	8	1004	18	2	92	20		4		
Utica.	STATIONS.	Atlantic Express.	Mohawk & Hud'n River Express.	Continental Limited.	Local. Express.	The West Shore Limited.	Canajo- harie Local.	National Express.				
Miles from Utica		Daily.	Daily except Sunday.	Daily.	Daily.	Daily.	Daily except Sunday	Daily except Sunday.				
Mil	LEAVE.	A.M.	A. M.	P. M.	Р. М.	Р. М.	P.M.	P.M.				
	Utica (Genesee Street)	12 54			1 16							
	Utica (Main Line)	12 01	ь 6 35			L 2 22	L 6 55	L 10 45				
5.74	HarborN	1 04	s 6 44		s 1 29	2 30	s 7 02	10 55				
10.92		1 16	s 6 54		s 1 41		s 7 14	11 05				
12.39	B. S. "F. J."	1 19	6 57		1 44	2 42	7 17	11 08				
13.15	Ilion	1 20	s 6 58		s 1 47	2 43	s 7 18	11 09				
14.95	B. S. "M. X."	1 22	7 01		1 49	2 45	7 20	11 11				
15.28		1 23	s 7 02		s 1 51	2 46	s 7 22	11 12	-			
18.87	Jacksonburgh	1 29	s 7 09		s 2 02	2 51	s 7 29	11 18				
22.74	Little Falls N	1 35	s 7 19		s 2 10	2 58						
27.60	Indian Castle	1 43	s 7 28		s 2 25	3 05						
30.91	Mindenville	1 47	s 7 34		s 2 34	3 10	8 7 55	11 38				
32.80	St. Johnsville N	1 50	s 7 39		s 2 39	3 13	s 7 58	11 41				
38.22	Fort Plain	1 58	s 7 49		s 2 49	3 20	s 8 08	11 49				
41.68	Canajoharie N	s 2 05	s 7 58		s 3 00	s 3 26	A S 15	s 11 58				
44.95	Sprakers	2 10	s 8 04		s 3 08	3 31	P.M.	12 08				
48.90	Downing N	2 19	s 8 12		s 3 18	3 37		12 12				
53.63	Fultonville	2 29	s 8 22		s 3 35	s 3 46		12 21				
57.30	Auriesville	2 34	s 8 29		s 3 55	3 52	123	12 26				
59.15	Fort Hunter N	2 38	s 8 33		s 4 08	3 55	× = =	12 29			1	
63.94	South Amsterdam	2 48	s 8 43		s 4 18	s 4 04		12 39				
70.73	PattersonvilleD	3 00	The state of the s	The second second	s 4 30	4 12		12 50				
20.00	A	s 3 05	- 0.00	s 12 05	5 _ 4 00	s 4 20		s 12 50				
72.30	Rotterdam Jct	3 15	s 9 00	12 15	s 4 38	5 4 20	Marie I	1 05				
75.61	Crawford's GradeN	3 22	9 07	12 22	4 40	4 26		1 12				
79.38	So. Schenectady	3 27	s 9 12	12 27	s 4 46	s 4 31		1 17				
	Carman (Main Line)	E Ele		× (#)	5 00			198				THE REAL PROPERTY.
	Fullers	3 36			P. M.	f 4 39		1 27				
86.14	Guilderland Center	3 38	s 9 24	12 38		f 4 42	3	1 29	SL S			
89.76	Voorheesville	3 43	s 9 34	12 43	t'n t'n	s 4 50		1 35				
91.82	New Scotland	3 46	and the same of	12 46	- 00	f 4 55		1 39	No. of the last			
95.73	Feura Bush	3 52		12 52	G. C.	f 5 03		1 45				
99.30	So. Bethlehem	3 57		12 57	I Em	f 5 10	9 5	1 50				
103.73	RavenaN	4 05	10 00	1 05	ANIO	5 20		2 00				
	ARRIVE.	A.M.	A.M.	P. M.	P.M.	P.M.	P.M.	A.M.				

Nos. 8, 2, 92 and 20 will use connection between Schuyler Junction and Harbor from Main Line.

No. 2 will stop on signal to discharge passengers holding foreign tickets to local stations, sold at stations west of Buffalo or Clifton.

No. 18 will use Detour Line between South Schenectady and Carman to Main Line.

No. 1004 will use connection between Hoffmans and Rotterdam Junction from Main Line.

WEST SHORE R. R. - UTICA TO SYRACUSE.

WEST BOUND-FIRST CLASS.

-e l	b	101	_ 3	103	105	107	109	111	113	-115	117	119	121	123
from E. Ge	STATIONS.	Oneida Ry. Co.	Chi.L't'd Express.	Oneida Ry. Co.	Oneida Ry. Co.	Oneida Ry. Co.	Oneida Ry. Co.	Oneida Ry. Co.	Oneida Ry. Co.	Oneida Ry. Co.				
Miles from Utica (Gene- see St.).			Daily.	Daily.	Daily.		Daily.		Daily.		Daily.		Daily.	
N S	LEAVE.		A. M.	A. M.	A. M.		A. M.		A. M.		A. M.		A. M.	
	Utica (0. Ry.)			5 30	6 30		7 30		8 30		9 30		10 30	
	Utica (Genesee St.)D		L 1 24											
.83			1 26	ь 5 46	L 6 46		L 7 46		L 8 46		ь 9 46		ь 10 46	
1.32														
6.20			1 37			E-1756	s 7 57	THE RESERVE OF THE PARTY OF THE	s 8 57		s 9 57		s 10 57	
9.98	Hecla			s 6 04			s 8 04		s 9 04		s 10 04		s 11 04	
11.48	Vernon GradeN		1 48	6 07	7 07		8 07		9 07		10 07		11 07	
14.84	Vernon		1 53	s 6 13	s 7 13		s 8 13		s 9 13		s 10 13		s 11 13	
17.40	Sherrill			s 6 18	s 7 18		s 8 18		s 9 18		s 10 18		s 11 18	
20.03	Oneida CastleN		2 01	s 6 24			s 8 24		s 9 24	The Control of the Control of	s 10 24		s 11 24	
The second second	Wampsville			s 6 30			s 8 30		s 9 30		s 10 30		s 11 30	
25.72	Canastota		2 11	s 6 34	s 7 34		s 8 34		s 9 34		s 10 34		s 11 34	
29.50	Sullivan			f 6 40			f 8 40		f 9 40		f 10 40		f 11 40	
31.91	Chittenango N		2 21	s 6 44	s 7 44		s 8 44		s 9 44		s 10 44		s 11 44	
35.58			A 2 28											
35.85				s 6 51	1000		s 8 51	1000	s 9 51		s 10 51		s 11 51	
38.54			Page 1	s 6 56	s 7 56	Sec. St	s 8 56		s 9 56		s 10 56	The state of the s	s 11 56	
40.08						-		W X14	40.00			4.5	10.01	
43.39				A 7 04	A 8 04		A 9 04		A 10 04		A 11 04		A 12 04	
46.49	Syracuse (W. S.) N	BEE N						\						
2	Syracuse (O. Ry.)			7 20	8 20		9 20		10 20		11 20		12 20	
	ARRIVE.		A. M.	A. M.	A. M.		A. M.		A. M.		A. M.	LEV.	P. M.	

-je		125	127	9	129	131	133	135	137	139	141	143	145	147
rom (Ger	STATIONS.		O. Ry.Co Limited.		Oneida Ry. Co.	Oneida Ry. Co.		O. Ry.Co Limited.	Oneida Ry. Co.	O. Ry Co Limited.				
Miles from Utica (Gene- see St.).		Daily.		Daily.	Daily.		Daily.		Daily.		Daily.		Daily.	
MD %	LEAVE.	A. M.		P. M.	Р. М.		P. M.		Р. М.		P. M.	est service	Р. М.	
	Utica (0. Ry.)	11 30			12 30		1 30		2 30		3 30		4 30	
	Utica (Genesee St.)D			ь 12 16										
.83	B. S. "W.U."N	т. 11 46		12 18	ь 12 46		ь 1 46		ь 2 46		ь 3 46		L 4 46	
1.32	The state of the s							S. Ala						
6.20	The state of the s			f 12 29	F 1000		s 1 57		s 2 57		s 3 57		s 4 57	
9.98	Hecla			f 12 37			s 2 04		s 3 04	77	s 4 04	100	s 5 04	
11.48	Vernon GradeN	12 07		12 40	1 07		2 07		3 07		4 07	No.	5 07	
14.84	Vernon	s 12 13		f 12 48	s 1 13		s 2 13		s 3 13		s 4 13		s 5 13	
17.40	Sherrill	s 12 18			s 1 18		s 2 18		s 3 18		s 4 18		s 5 18	2
20.03	Oneida CastleN	s 12 24		f 1 00	s 1 24		s 2 24		s 3 24		s 4 24		s 5 24	
23.41	Wampsville	s 12 30		f 1 07	s 1 30		s 2 30		s 3 30		s 4 30		s 5 30	
25.72	Canastota	s 12 34		f 1 13	s 1 34		s 2 34		s 3 34		s 4 34		s 5 34	
29.50	Sullivan	f 12 40	and the state of	f 1 19	f 1 40		f 2 40		f 3 40		f 4 40		f 5 40	Aug V
31.91				f 1 23	s 1 44		s 2 44		s 3 44		s 4 44	Name of the last	s 5 44	
35.58	Kirkville JctN			A 1 28										
35.85	KirkvilleD	s 12 51			s 1 51		s 2 51	-	s 3 51		s 4 51		s 5 51	
38.54	Manlius Centre D	s 12 56	25.0		s 1 56		s 2 56	-	s 3 56	-	s 4 56	dan a	s 5 56	
40.08														
43.39		л 1 04			A 2 04		A 3 04		A 4 04		A 5 04		A 6 04	
46.49	Syracuse (W. S.) N													
	Syracuse (O. Ry.)	1 20			2 20		3 20		4 20		5 20		6 20	
	ARRIVE.	Р. М.	35 67	Р. М.	P. M.		P. M.		Р. М.		P. M.		Р. М.	

The times shown at *Utica* (O. Ry.) and Syracuse (O. Ry.) are for information only. BS "CV" is located east of M. P. 254.

No. 9 will not carry passengers but will stop on signal for baggage and express.

Nos. 3 and 9 will use connection between Kirkville Junction and Kirkville to Main Line.

WEST SHORE R. R. - UTICA TO SYRACUSE.

		_01	OII			BOUNI		RST CL				,00,	
149	151	153	155	157	159	161	163	165	167	169	171	173	
Oneid	a Oneida	Oneida	Oneida	Oneida	Oneida	Oneida	Oneida	Oneida	Oneidá	Oneida	Oneida	Oneida	SITE A MITO NO
Ry. C			Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co. Daily.	STATIONS.
Daily		Daily.	-	Daily.		Daily.		Daily.		Daily.			LEAVE.
P. M		P. M.		P. M.		P. M. 8 30		P. M. 9 30		P. M.		P. M.	Utica (O. Ry.)
00		0 30		1 30		0 50		9 30		10 50		11 50	
L 5	16	L 6 46		L 7 46		L 8 46		ь 9 46		ь 10 46		1 11 48	Utica (Genesee St.). B. S. "W. U."
L 3	10	r 0 40		L 1 40		L 0 40	1	L 9 40		1, 10 40		L 11 40	New York Mills.
s 5	57	s 6 57		s 7 57		s 8 57		s 9 57		s 10 57		s 11 57	Clarks Mills.
s 6	04	s 7 04		s 8 04		s 9 04		s 10 04		s 11 04		s 12 04	Hecla.
6	07	7 07	Assessed	8 07		9 07		10 07		11 07	7.0	12 07	Vernon Grade.
s 6	13	s 7 18		s 8 13		s 9 13		s 10 13	The same of the sa	s 11 13		s 12 13	Vernon.
s 6		s 7 18		s 8 18		s 9 18		s 10 18		s 11 18		s 12 18	
s 6 s 6		s 7 24 s 7 30	The second second	s 8 24 s 8 30		s 9 24 s 9 30		s 10 24 s 10 30		s 11 24 s 11 30		s 12 24 s 12 30	Oneida Castle. Wampsville
s 6		s 7 34		s 8 34		s 9 34		s 10 34	15-150	s 11 34		s 12 34	Canastota.
f 6		f 7 40		f 8 40		f 9 40		f 10 40		f 11 40		f 12 40	
s 6		s 7 44		s 8 44		s 9 44		s 10 44		s 11 44		THE PERSON OF THE	Chittenango.
						118							Kirkville Jct.
s 6		s 7 51		s 8 51		s 9 51		s 10 51		s 11 51		s 12 51	Kirkville.
s 6	56	s 7 56		s 8 56		s 9 56		s 10 56		s 11 56		s 12 56	
A 7	04	A 8 04		A 9 04		A 10 04		A 11 04		л 12 04		. 1 04	B. S. B. S. "W. X."
A I	71	A 0 04		A 0 04		A 10 04		A II OI		A 12 U4		A 1 04	Syracuse (W: S.)
7	20	8 20		9 20		10 20		11 20		12 20		1 20	Syracuse (O. Ry.)
-													
P. M		P. M.		Р. М.		P. M.		P. M.		A. M.	-	A. M.	ARRIVE.
						· · ·							STATIONS
													Utica (O. Ry.)
							•						Utica (Genesee St.). B. S. "W.U." New York Mills. Clarks Mills. Hecla. Vernon Grade.
													Vernon.
		18 19 3								EQUAL D			Sherrill.
		Saluli, F											Oneida Castle.
		E HE											Wampsville.
													Canastota.
										Service I			Sullivan.
													Chittenango.
													Kirkville Jct. Kirkville.
2.4													Manlius Centre.
													B. S.
													B. S. "W. X."
									Mar as				Syracuse (W. S.)
													Syracuse (O. Ry.)
													ARRIVE.
Stop 1, W. (2, 1) No. 104 a		Stop 4, 5, 8, 19 will st	W. of MP E W	235. S 237. 239.	top 9 W. " 10, E. " 12, "	make the of MP 240. 241. 243. on crossin	Stop	13, E. of M 14, " 18, "	MP 244. " 245. " 249.	Stop 20, 22, 30,	al: E. of MP	251. 8 254. 265.	top 31, E. of MP 267. " 36, " " 272. " 37, " 274. " 38, " 275.

WEST SHORE R. R. - SYRACUSE TO UTICA.

EAST BOUND - FIRST CLASS.

Tee-1	•	102	104	106	108	110	11	2	114	1 11	16	118	120	122	1 1	24	126
om om	STATIONS.	Oneida	Oneida	Oneida	Oneida	Oneida	Onei	da	Oneida	One	eida	Oneida Ry, Co.	Oneid Ry. C	a O. Ry.C	o Oi	neida	Oneida Ry Co.
Miles from Syracuse (W. S.)	SIZITONS.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry.		Ry. Co.	Ry.		Ry. Co.	Daily			aily.	Ry Co.
Sy	LEAVE.		A. M.		A. M.		A.	-			м.		A. M		-	. M.	
	Syracuse (O. Ry.)		5 30		6 00		-	00		ARS	3 00		9		-	10 00	
	Syracuse (W. S.).N		0.00		1			-							1		1
3 10	B. S. "W.X." N		L 5 46		r. 6 16		L 7	-16		L 8	3 16		L 9	16	I.	10 16	
6.41			1 0 10		0 10			10									
7.95	Manlius CentreD		s 5 54		s 6 24		s 7	24		s 8	8 24		s 9	24	S	10 24	
10.63	Kirkville		s 5 59		s 6 29		s 7	29		8 8	3 29		s 9	29	S	10 29	
10.91			1888														
14.57			s 6 06		s 6 36	15 C C C C C C C C C C C C C C C C C C C	The same of the	36		100	3 36		s 9		1 200	10 36	
16.99	Sullivan		f 6 10		f 6 40		f 7	40		f 8	3 40		f 9	10	f	10 40	
20.77	CanastotaN		s 6 16		s 6 46		8 7	46		s	8 46		s 9	46	1000	10 46	
23.07			s 6 20		s 6 50		150	50		100	8 50		s 9		31529	10 50	
26.46		100000	s 6 27		s 6 57		1	57		The same	8 57		s 9	700	1	10 57	
28.09			s 6 32		s 7 02		1	02			9 02		s 10			11 02	
31.64			s 6 38		s 7 08			08			9 08		s 10		1	11 08	
35.01		900000000000000000000000000000000000000	6 43		7 13		1	13	A THEODOLOGIC	1	9 13	E CERTIS	10		- 10	11 18	
36.51			s 6 46		s 7 16		121000	16	Design Control	2.45	9 16		s 10			11 16	DOCUMENT OF THE PARTY OF THE PA
40.29			s 6 53		s 7 23		8 8	23		8	9 23		s 10	23	S	11 23	
45.16 45.65			A 7 04		A 7 34		A 8	34			9 34		A 10	94	4	11 34	
46.49		1	A 1.04		A 1 04		A	04		A	0 04		A 10	04	A	11 94	188
					1 7 70		1 0	=0			0 50		10	50	+	11 50	
	Utica (0. Ry.)		7 20		7 50		8	50			9 50		.10	00	186	11 50	
	ARRIVE.		A. M.		A. M.		A.	М.		A.	M.		A. M		1	. м.	

		128	18	130	132	134	136	138	140	142	144	146	148	150
rom	STATIONS.	Oneida Ry. Co.	Local Express.	O. Ry.Co Limited.	Oneida Ry. Co.	O. Ry.Co Limited.	Oneida Ry, Co.	Oneida Ry. Co.		O. Ry.Co				
Miles from Syracuse (W. S.)		Daily.	Daily.		Daily.		Daily.		Daily.		Daily.		Daily.	
Mil S	LEAVE.	A. M.	A. M.		P. M.		Р. М.		P. M.		P. M.		P. M.	
	Syracuse (O. Ry.)	11 00			12 01		1 00		2 00		3 00		4 00	
	Syracuse (W. S.).N					1								
3.10	B. S. "W.X."N	ь 11 16			ь 12-16		L 1 16		ь 2 16		ь 3 16		L 4 16	
6.41	B. S													
	Manlius CentreD			TO THE COLUMN	s 12 24		s 1 24		s 2 24		s 3 24	- 121	s 4 24	
	KirkvilleD				s 12 29		s 1 29		s 2 29		s 3 29		s 4 29	
10.91	Kirkville Jct		ь 11 37											
14.57	ChittenangoN	s 11 36	f 11 50		s 12 36		s 1 36		s 2 36		s 3 36		s 4 36	3
16.99	Sullivan	f 11 40	f 11 55		f 12 40		f 1 40		f 2 40		f 3 40		f 4 40	
20.77	CanastotaN	s 11 46	f 12 05		s 12 46		s 1 46		s 2 46		s 3 46		s 4 46	3
23.07	Wampsville	s 11 50	f 12 12		s 12 50		s 1 50		s 2 50		s 3 50		s 4 50)
26.46	Oneida CastleN	s 11 57	f 12 20		s 12 57		s 1 57		s 2 57		s 3 57		s 4 57	7
28.09	Sherrill	s 12 02			s 1 02		s 2 02		s 3 02		s 4 02		s 5 02	3
31.64	VernonN	s 12 08	f 12 40		s 1 08		s 2 08		s 3 08		s 4 08		s 5 08	3
35.01	Vernon GradeN	12 13	12 47		1 18		2 13		3 13		4 13		5 18	3
36.51	Hecla	s 12 16	f 12 54		s 1 16		s 2 16		s 3 16		s 4 16		s 5 16	3
40.29	Clarks MillsN	s 12 23	f 1 03		s 1 28		s 2 23		s 3 23		s 4 23		s 5 28	3
45.16	New York MillsN													
45.65	B. S. "W.U."N	A 12 34	1 13		A 1 34		A 2 34		A 3 34		A 4 34		A 5 34	1
46.49	Utica (Genesee St) D		A 1 15											
	Utica (O. Ry.)	12 50			1 50		2 50		3 50		4 50		5 50	
	ARRIVE.	P. M.	P. M.		P. M.		P. M.		P. M.		Р. М.		Р. М.	

The times shown at Syracuse (O. Ry.) and Utica (O. Ry.) are for information only. B. S. "CV" is located east of M. P. 254.

No. 18 will not carry passengers, but will stop on signal for baggage and express.

No. 18 will use connection between Kirkville and Kirkville Jct. from Main Line.

152 neida	154 Oneida	156 Oneida	158 Oneida	160 Oneida	162 Oneida	164 Oneida	166 Oneida	168 Oneida	170 Oneida	172 Oneida	174 Oneida	6 Atlantie	176 Oneida	
y. Co.	Ry. Co	Ry. Co.	Ry. Co	Ry. Co.	Ry. Co.	Ry. Co.	Ry., Co.	Ry. Co.	Ry. Co.	Ry. Co.	Ry. Co.	Express.	Ry. Co.	STATIONS
Daily.		Daily.		Daily.		Daily.		Daily.		Daily.		Daily	Daily.	
Р. М.		P. M.		Р. М.		Р. М.		Р. М.		P. M.		P. M.	P. M.	LEAVE.
5 00		6 00		7 00		8 00		9 00		10 00			11 30	-
5 16		L 6 16		L 7 16		L 8 16		L 9 16		L 10 16			ь 11 46	Syracuse (W. S. B. S. "W.X." B. S.
5 24 5 29	100000	s 6 24 s 6 29		s 7 24 s 7 29		s 8 24 s 8 29		s 9 24 s 9 29		s 10 24 s 10 29				Manlius Centre. Kirkville. Kirkville Jct.
5 36 5 40		s 6 36 f 6 40		s 7 36 f 7 40		s 8 36 f 8 40		s 9 36 f 9 40		s 10 36 f 10 40				Chittenango. Sullivan.
5 46		s 6 46		s 7 46		s 8 46		s 9 46		s 10 46		12 05		Canastota.
5 50 5 57		s 6 50 s 6 57		s 7 50 s 7 57		s 8 50 s 8 57		s 9 50 s 9 57		s 10 50 s 10 57		12 15	s 12 20 s 12 27	Wampsville. Oneida Castle.
6 02		s 7 02		s 8 02		s 9 02		s 10 02		s 10 07		12 10		Sherrill.
6 08		s 7 08		s 8 08		s 9 08		s 10 08		s 11 08		12 25	s 12 38	Vernon.
6 13		7 13		8 13		9 13		10 13	00 E	11 13		12 30		
6 16 6 23		s 7 16 s 7 23		s 8 16 s 8 23		s 9 16 s 9 23		s 10 16 s 10 23		s 11 16 s 11 23			s 12 46 s 12 53	Hecla. Clarks Mills. New York Mills
6 34		A 7 34		A 8 34		а 9 34		a 10 34		л 11 34		12 50 A 12 52		B. S. "W.U." Utica (Genesee t
6 50		7 50		8 50		9 50		10 50		11 50			1 20	Utica (O. Ry.).
Р. М.		P. M.		P. M.		Р. М.		P. M.		P. M.		A. M.	A. M.	ARRIVE.
		******												STATIONS LEAVE.
													100	Syracuse (O. Ry
														Syracuse (W. S. B. S. "W.X." B. S. Manlius Centre. Kirkville. Kirkville Jct.
														Chittenango. Sullivan.
														Canastota. Wampsville. Oneida Castle. Sherrill. Vernon.
				•										Vernon Grade. Hecla. Clarks Mills. New York Mills B. S. "W.U." Utica, (Genesee
														Utica (O. Ry.)
														ADDITE
												ALC: SE		ARRIVE.

REMSEN TO MALONE.

NORTH BOUND - FIRST CLASS.

		5		1					T		I		1	
ner.	STATIONS.	MONTREAL EXPRESS.	150	MAIL.										
Miles from Herkimer.	SIAIIONS.	Daily.		Daily except										
Alles 1	LEAVE.	A. M.		P. M.	1 1127				-					
-			1					1						
27.67	Utica	1 25 L 2 20		1 30 L 2 30			+							
31.66	Honnedaga	2 28		f 2 37										
35.57 38.03	Anos	2 42		s 2 45 86 2 50										
42.50 47.57		f 3 00 4 3 11		s 3 05 ° f 3 16										
49.15				s 3 21	Pal II		İ							
52.19 53.75		3 23		3 26 3 29										
55.01 57.93		3 26 s 3 33		3 32 s 3 38										
	Fulton ChainL	3 38		3 45										
64.12 69.31	Clearwater D Big MooseN			s 3 59 s 4 12										
78.47 77.69				4 19 s 4 28										
82.77		4 33		4 36										
87.82 90.89		f 4 42 4 47		f 4 46 f 4 51										
94.78	Long Lake, West.N			s 5.00										
99.91 106.75	Childwold	f 5 19		s 5 10 f 5 22										
$\frac{109.23}{113.64}$				s 5 28 s 5 35		1	+		1					
	Tupper Lake Jct. 1.	5 38		5 40										,
121.57 128.56				f 5 53 s 6 05										
131.70	Lake Clear Jct A Lake Clear JctL			s 6 10 6 15										
and the second second	Gabriels D	s 6 29		s 6 24								\.		
139.19 142.51	A Marie Control of the Control of th	f 6 33 f 6 38		f 6 28 6 33										
A CONTRACTOR OF THE	Lake KushaquaD Loon LakeN	The second secon		f 6 37 s 6 45										
The second section is	Tekene	6 53		6 47										
153.48 160.19	Plumadore Mountain View	6 59 f 7 11		6 53										
162.83	Owls HeadD	s 7 17		s 7 12										
165.51 166.52	Todds Pit	7 25		f 7 18 7 22										
169.28 173 31	Whippleville Malone Jet N	f 7 30 7 39		f 7 28 7 36										
	ARRIVE.									*				
	ARRIVE.	A. M.		P. M.	1	1	1 1		-		1	l-	1	

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified.

Trains run via R., W. & O. Div., Utica to Remsen. Time shown at *Utica* being for information only.

No. 1 will stop on signal at Minnehaha, Onekio, Moulin, Woods and Brandreth Lake to discharge passengers from Utica and stations beyond.

REMSEN TO MALONE.

NORTH BOUND - SECOND CLASS.

	91	81	83	85	
	MIXED.	MIXED.	I REIGHT.	FREIGHT.	STATIONS.
	Daily except Sunday. See note.	Daily except Sunday.	Daily except Monday.	Daily except Monday.	
	А. М.	A. M.	A. M.	Р. М.	LEAVE.
		6 45	9 10		Utica.
		L 8 30 f 8 40 s 8 55 9 04 s 9 20 f 9 35	L 10 40 10 50 11 00 11 08 11 25 11 45		Remsen. Honnedaga. Forestport. Anos. White Lake. Otter (Otter Lake).
		s 9 50 f 10 00 f 10 04 f 10 10 s 10 30 11 10 so	11 54 80 12 03 12 08 12 12 12 30		McKeever. Nelson (Nelson Lake). Minnehaha. Onekio. Fulton Chain. Fulton Chain.
		s 11 45 s 12 20 86 f 12 32 s 12 45 f 1 00	12 55 86 2 08 2 2 20 2 37 2 49		Clearwater, Big Moose. Woods (Woods Lake) Beaver River, Keepawa.
		s 1 28 2 f 1 37 s 2 00 s 2 30 f 2 55 s 3 10	3 01 3 08 3 17 3 30 3 47 3 57		Nehasane. Robinwood. Long Lake, West. Horse Shoe. Childwold. Piercefield.
	A. M. 7 00 f 7 20 s 7 45 s 8 05 8 15	3 30 P. M.	4 20 P. M.	P. M 6 05 6 27 6 50 7 05	Tupper Lake Junction. Tupper Lake Junction. Floodwood. Saranac Inn. Lake Clear Junction. Lake Clear Junction.
	s 8 40 f 8 48 f 9 00 s 9 10 s 9 40 9 45			7 20 7 30 7 41 7 48 8 00 8 05	Gabriels. Rainbow (Rainbow Lake). Onchiota. Lake Kushaqua. Loon Lake. Tekene.
	f 9 55 s 10 25 s 10 49 f 11 02 11 07 f 11 17 11 33			8 15 8 35 8 45 8 55 8 59 9 07 9 20	Plumadore. Mountain View. Owls Head. Chasm Falls. Todd's Pit. Whippleville. Malone Junction.

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified.

Trains run via R., W. & O. Div. Utica to Remsen. Time shown at *Utica* being for information only. No. 81 will stop on signal at Moulin, Brandreth Lake and Pleasant Lake. No. 91 is superior to No. 90. Nos. 81 and 91 will carry passengers.

MALONE TO REMSEN.

SOUTH BOUND - FIRST CLASS.

		2		4	
e Jet.	STATIONS.	MAII.		MONTREAL EXPRESS.	
Miles from Malone Jct.		Daily except Sunday.	40	Daily.	
Mile	LEAVE.	A. M.		Р. М.	
6.79 7.80 10.48	Chasm Falls Owls HeadD Mountain View Plumadore Tekene	10 24 10 29 10 35 s 10 49 s 10 55 11 08 11 14		10 18 10 27 10 32 10 37 s 10 48 f 10 54 11 07	
24.55 28.81 30.80 34.12 36.62	Lake KushaquaD Onchiota Rainbow (Rainbow L)	f 11 26 11 29 f 11 34		s 11 18 f 11 27 11 31 11 37 f 11 42	
41.61 44.75 51.74 59.67	Lake Clear JctL Saranac InnD Floodwood	11 57 s 12 03 f 12 16 s 12 29		s 11 52 12 02 f 12 08 f 12 21 s 12 34 12 39	
66.56 73.40 78.53 82.42		f 12 50 s 1 05 s 1 15 f 1 23		f 12 48 f 12 53 f 1 06 s 1 16 1 23 f 1 28	
90.54 95.62 99.84 104.00 109.19	Beaver RiverD Woods (Woods Lake)	s 1 46 1 57 s 2 08 ss		1 36 f 1 45 1 55 f 2 05 f 2 15	
118.30 119.56 121.12	Fulton Chain N A Fulton Chain L Onekio Minnehaha Nelson (Nelson Lake) McKeever D	2 35 2 41 2 43 2 46		s 2 26 2 30 2 35 2 38 2 41 f 2 46	
185.28 187.74	White Lake	s 3 05 1 3 12 s 3 16 f 3 23 A 3 30		f 2 49 f 3 00 3 08 f 3 13 3 20 A 3 28	
166.97	Utica	4 10 P. M.		4 05 A. M.	

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified.

Trains run via R., W. & O. Div., Remsen to Utica. Time shown at *Utica* being for information only.

No. 2 will stop on signal at Brandreth Lake, Woods, Moulin, Onekio and Minnehaha to receive passengers for Utica and stations beyond.

MALONE TO REMSEN.

SOUTH BOUND - SECOND CLASS.

-	7 199	1		1	1	1			
					84	80	86	90	
					FREIGHT.	MIXED.	FREIGHT.	MIXED.	STATIONS.
					Daily except Monday.	Daily except Sunday.	Daily except Monday.	Daily except Sunday. See note.	
					А. М.	A. M.	A. M.	P. M.	LEAVE.
					4 30 4 47 4 55 5 10 5 30 5 40 6 10 6 25			12 10 f 12 24 12 32 f 12 40 s 1 00 s 1 10 f 1 35 1 45	Malone Jct. Whippleville. Todd's Pit. Chasm Falls. Owls Head. Mountain View. Plumadore. Tekene.
					6 51 5 7 15 7 24 7 38 7 47			s 1 55 s 2 10 f 2 20 s 2 30 s 2 42	Loon Lake. Lake Kushaqua. Onchiota. Rainbow (Rainbow Lake). Gabriels.
					8 05 8 15 8 45 9 15 A. M.	A. M. 6 45	A. M. 9 40	s 3 15 s 3 25 f 3 45 4 05 P. M.	Lake Clear Jct. A Lake Clear Jct. L Saranac Inn. Floodwood. Tupper Lake Jct. A Tupper Lake Jct. L
					2 Y	s 7 00 f 7 07 s 7 40 s 8 05 f 8 12 f 8 22	9 55 10 02 10 25 10 42 10 55 11 03		Piercefield. Childwold. Horse Shoe. Long Lake, West. Robinwood. Nehasane.
						f 8 37 s 8 50 f 9 05 s 9 20 s 9 50	11 20 11 35 11 55 12 20 81 12 55 88	,	Keepawa. Beaver River. Woods (Woods Lake). Big Moose. Clearwater.
25 25 26 27					-10	s 10 30 81 11 25 f 11 35 f 11 40 f 11 45 s 11 54 88	1 15 1 26 1 32 1 40 1 50		Fulton Chain, A Fulton Chain L Onekio, Minnehaha. Nelson (Nelson Lake). McKeever.
						f 12 00 s 12 25 12 40 s 1 00 f 1 12 A 1 30	1 55 2 10 2 25 2 45 2 54 A 3 02		Otter (Otter Lake). White Lake. Anos. Forestport. Honnedaga. Remsen.
						3 25	4 55		Utica.
4497121 24		0.000	12 10 1		A. M.	P. M.	P. M.	Р. М.	ARRIVE.

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified.

Trains run via R., W. & O. Div., Remsen to Utica. Time shown at *Utica* being for information only.

No. 91 is superior to No. 90.

Nos. 80 and 90 will carry passengers.

No. 80 will stop on signal at Pleasant Lake, Brandreth Lake, and Moulin.

HERKIMER TO REMSEN.

	NORTH	BOUND-	FIRST C	LASS.		SECON	D CLASS.
		61	39	63	67		89
mer.	STATIONS.	LOCAL PASSENGER,	R. W. & O. MILK.	MAIL.	LOCAL PASSENGER.		WAY FREIGHT.
Miles from Herkimer.		Daily except Sunday. (See note.)	Daily.	Daily except Sunday.	Daily except Sunday. (See note.)		Daily except Sunday. (See note.)
Mil	LEAVE.	A. M.	A. M.	P. M.	P. M.		A. M.
3.26 5.51 7.00 8.74 13.06	Countrymans	f 7 57 f 8 02 f 8 07 s 8 13	10 50 s 11 02 f 11 07 f 11 12 s 11 19 s 11 34	12 40 f 12 48 f 12 51 f 12 55 s 1 00 s 1 09	5 50 f 5 57 f 6 02 f 6 07 s 6 13 s 6 23		8 14 8 23 8 29 8 34 9 05 9 40
16.52 20.49 23.66 25.60 27.67	Gravesville	A. M.	s 11 45 12 00 f 12 11 s 12 18 12 25	s 1 16 f 1 24 f 1 32 s 1 37 2 06 2 12	A 6 32 P. M.		10 10 10 30 10 45 10 55 11 10
	ARRIVE.	A. M.	Р. М.	P. M.	P. M.		A. M.

REMSEN TO HERKIMER.

	SOUTH	BOUND -	FIRST C	LASS.		SECOND CI	LASS.
		56	38	72	74		88
len.	STATIONS.	LOCAL PASSENGER.	R. W. & O. MILK.	MAIL.	LOCAL PASSENGER.		WAY FREIGHT.
Miles from Remsen.		Daily except Sunday. (See note.)	Daily.	Daily except Sunday.	Daily except Sunday. (See note.)		Daily except Sunday. (See note.)
Mil	LEAVE.	A. M.	P. M.	P. M.	P. M.		A. M.
2.07 4.01 7.18 11.15	Trenton Chasm	A. M.	2 22 8 2 30 f 2 34 f 2 48 s 2 53	3 40 s 3 45 4 08 f 4 12 f 4 18 s 4 25	P. M. L 6 40		11 40 11 50 1 37 1 43 1 53 2 08
14.61 18.93 20.67 22.46 24.41 27.67	Middleville	s 9 05 s9 f 9 09 f 9 13 f 9 18	s 3 02 s 3 12 f 3 15 f 3 19 s 3 35 3 50	s 4 32 s 4 40 f 4 43 f 4 47 f 4 51 5 02	s 6 48 s 6 58 f 7 02 f 7 06 f 7 11 7 20		2 23 2 43 2 47 2 52 2 56 3 07
	ARRIVE.	A. M.	P.M.	P. M.	P. M.		P.M.

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified.

No. 89 is superior to No. 88.

No. 61 is superior to No. 56.

No. 67 is superior to No. 74.

Nos. 39 and 38 will carry passengers on Sundays only.

HINCKLEY BRANCH.

	NORTH	BOUND	- F	IRST	CLAS	S.		SE	COND CL	ASS.
ect		65		69						89
Prosp ion.	STATIONS.	PASSENGE	R. P.	ASSENG	ER.					WAY FREIGHT.
Miles from Prospect Junction.		Daily except Sunday. (See note.)		Daily except Sunday. (See note.)						Daily except Sunday. (See note.)
Mile	LEAVE.	Р. М.		Р. М.	1155					A. M.
9 70	Prospect JctD HinckleyD		64	3 45 3 58	DIA.					11 55 12 10
2.70	ARRIVE.	P. M.		Р. М.	00				- 7	P. M.

	SOUTH	BOUND -	FIRST C	LASS.	00 x 10 x	SECOND C	LASS.
		64	66				88
ley.	STATIONS.	PASSENGER.	PASSENGER.				WAY FREIGHT.
Miles from Hinckley.	AVE STEEL STEEL	Daily except Sunday. (See note.)	Daily except Sunday. (See note.)				Daily except Sunday. (See note.)
MDe	LEAVE.	Р. М.	Р, М.				Р. М.
2.70	Hinckley	1 48 65 2 05	4 00 69		POOR PAR		1 00 1 15
	ARRIVE.	Р. М.	Р. М.				P. M.

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified.

No. 65 is superior to No. 64.

No. 69 is superior to No. 66.

No. 89 is superior to No. 88.

RAQUETTE LAKE RAILWAY.

CLEARWATER TO RAQUETTE LAKE

	NORTH	BOUND -	FIRST CI	LASS.		SEC	COND CLA	Ass.
		251						
Miles from Clearwater.	STATIONS,	Mail. Tuesday, Thursday, Saturday		•				
W	LEAVE.	Р. М.						
5.55	Clearwater. D Rondaxe. Bald Mountain Fair View	f 4 17 s 4 37						
9.14 12.14	Skensowane	s 4 57 f 5 09						
	ARRIVE.	P. M.				72		

RAQUETTE LAKE TO CLEARWATER.

	SOUTH	BOUND -	FIRST C	LASS.	FIRST CLASS.			
rke.		252						
In stre Ls	STATIONS.	MAIL.						
Miles from Raquette Lake.		Tuesday, Thursday, Saturday.						
Mil	- LEAVE.	Р. М.						
8.75	Raquette Lake D Uncas Road Eagle Bay Skensowane	f 1 00 s 1 15						
12.34 15.40	Fair View Bald Mountain Rondaxe Clearwater D	s 1 36 f 1 52						
	ARRIVE.	Р. М.						

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified.

Employes will be governed by the rules of the New York Central and Hudson River R. R.

SARANAC BRANCH.

NORTH BOUND - FIRST CLASS.

		47	29	37	41				
ake t.	STATIONS,	Passenger.	Passenger.	Passenger.	PASSENGER.				
Miles from Lake Clear Jct.		Daily.	Daily.	Daily ex- cept Sunday.	Daily except Sunday.	an d			
Mile	LEAVE.	А. М.	A. M.	A. M.	Р. М.				
	Lake Clear Jc	12 05	6 25	11 57	6 15		1		100
	Saranac Yard		6 43	12.15	6 33				
	Saranac Lake (D. & H.).N	12 25	6 45	12 17	6 35				
_	ARRIVE.	A. M.	A. M.	P. M.	Р. М.				-

SOUTH BOUND-FIRST CLASS.

		32	34	42	46		. :		
Yard	STATIONS.	PASSENGER.	PASSENGER.	Passenger.	PASSENGER.				
Miles from Saranac Yard.		Daily.	Daily ex- cept Sunday.	Daily ex- cept Sunday.	Daily.				
MIII	LEAVE.	А. М.	A. M.	P. M.	Р. М.		1		
	Saranac Lake (D. & H.).N		11 25	5 45	11 25				
	Saranac Yard	5 52	11 27	5 47	11 27				
5.82	Lake Clear Jc	6 07	11 45	6 05	11 45				
	ARRIVE.	A. M.	A. M.	Р. М.	Р. М.			0.0	

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified.

All trains must come to a full stop before going on D. & H. Co.'s tracks at Saranac Lake, and not proceed until proper signals are displayed.

ST. L. & A. R'Y.-(MALONE JCT. TO MONTREAL.)

		NORTH	BOUND -	- FIRST C	LASS.			SECONI	CLASS.	
		21	5	23	25	27	1	97	85	
n ne Jet	STATIONS.	Local Passenger.	MONTREAL EXPRESS.	LOCAL PASSENGER.	LOCAL PASSENGER.	LOCAL PASSENGER.	MAIL.	WAY FREIGHT.	FREIGHT.	
Miles from Malone Jct.		Daily except Sunday.	Daily.	Daily except Saturday and Sunday.	Saturday Only.	Sunday Only.	Daily except Sunday.	Daily except Sunday. (See note.)	Daily except Monday.	190
WU	LEAVE.	A. M.	А. М.	Р. М.	Р. М.	Р. М.	Р. М.	A. M.	Р. М.	
5.29 14.09 17.93 22.43	Athelstan HuntingdonD		7 42 s 7 51 s 8 08 s 8 17 f 8 25				7 40 s 7 50 s 8 01 s 8 08 f 8 15	6 20 6 40 7 13 7 27 7 42	10 13 4 10 30 10 55 11 05 11 16	
24.61 30.19 32.07	St. StanislasD ValleyfieldD Cecile JctN	L 7 00 s 7 04	8 46		s 3 28	L 7 30 f 7 34	s 8 19 s 8 32 f 8 38	7 52 8 05 9 03 9 15	11 22 1F 37 11 42	
35.34 43.49	St. TimotheeD BeauharnoisD		G 8 52 2 s 9 07		s 3 34 s 3 48	s 7 40 s 7 56	f 8 49 4 s 9 04	9 24 9 48	11 55 12 30 82	
46.73 48.86 50.92 53.79 56.33	Woodlands	s 7 34 s 7 39 f 7 44	9 13 f 9 18 s 9 23 9 28 s 9 35 20	f 1 26 s 1 32 f 1 37	f 3 54 f 3 58 s 4 04 f 4 11 s 4 18	s 8 14 s 8 25 f 8 33	f 9 11 f 9 15 s 9 20 9 24 s 9 30	9 56 10 02 10 10 10 18 A10 35 22	12 41 12 47 12 55 1 05 1 20	
65.09	MontrealN ARRIVE.	8 15 A. M.	9 55 A. M.	2 05 P. M.	4 40 P. M.	9 00	9 50		2 00	
		11. 111.	11. Dt.	1. 10.	1. M.	P. M.	P. M.	A, M.	A. M.	

MONTREAL TO MALONE JCT.

		SOUTH	BOUND -	FIRST C	LASS.			SECOND	CLASS.	
		2	20	22	24	26	4	98	82	
m real.	STATIONS.	MAIL.	LOCAL PASSENGER,	LOCAL PASSENGER.	LOCAL PASSENGER.	Local Passenger.	MONTREAL EXPRESS.	WAY FREIGHT.	FREIGHT.	
Miles from Montreal.	les saling and	Daily except Sunday.	Sunday Only.	Daily except Saturday and Sunday.	Saturday Only.	Daily except Sunday.	Daily.	Daily except Sunday. (See note.)	Daily except Sunday.	
Mil	LEAVE.	A. M.	Α, Μ,	A. M.	Р. М.	Р. М.	P. M.	A. M.	Р. М.	
	MontrealN	8 00	9 15	10 20	1 35	5 10	7 55		11 00	sector in
8.76 11.30	Primeau	8 20 8 25	f 9 41	s 10 40 97 f 10 45	s 1 55 f 2 00	s 5 30 f 5 34	8 15 8 20	L 11 00 11 07	11 40 11 48	
14.17	Woodlands	X 8 33			s 2 08 s 2 13	s 5 47	s 8 25 27 f 8 29	11 15 11 20	11 58 12 05	
18.36				f 11 01	f 2 17	s 5 51	8 32	. 11 25	12 11	
21.60 29.75 33.02	St. TimotheeD	8 52 5	s 10 20	s 11 24	s 2 25 s 2 40	s 6 13	s 8 38 G 8 49	11 35 11 53	12 30 85	
	ValleyfieldD			f 11 31 A 11 35	f 2 46 A 2 50	f 6 20 A 6 25	f 8 55 s 9 03	12 04 12 45 23	1 00	
40.48	St. Stanislas D	s 9 13	A. M.	A. M.	P. M.	Р. М.	s 9 13	1 10	1 43	
42.66 47.16	A STATE OF THE PARTY OF THE PAR	9 17 s 9 27					f 9 18 s 9 28	1 20 1 50	1 50 2 05	
51.00 59.80	Athelstan N Constable D	s 9 49					s 9 38 s 9 54	2 20 3 00	2 20 2 55	
65.09		10 08					10 13 85	3 45	3 30	
	ARRIVE.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	P. M.	A. M.	

On single track, south bound trains are superior to north bound trains of the same class unless otherwise specified. No. 97 is superior to No. 98. All north bound trains must stop at Athelstan for custom inspection. Trains run via C. P. R. between Adirondack Jct. and Montreal. Nos. 21, 23 and 26 will stop at Chateaugay Freight Station to pick up milk and express. Nos. 2 and 4 will stop on signal at Adirondack Jct. to receive passengers. No. 5 will stop at Cecile Jct. to discharge passengers from Utica and stations beyond destined to stations on the G. T. Ry. Nos. 20, 21, 22, 23, 24, 25, 26 and 27 will stop on signal at Maple Grove and Melocheville.

CAR CAPACITY PASSING SIDINGS BASED ON 40 FOOT CARS.

Adirondack Junction	38	Huntingdon	27
Anos	18	Keepawa	27
Aqueduct	21	The state of the s	76
Athelstan	48	Lake Clear Junction	81
Bald Mountain	10	Little Falls (W. S.), north of west bound track	64
Beauharnois	43		60
Beaver River	30	Loon Lake 2	20
Big Moose	35		30
Block Station 16 A, between Fonda and Yosts, south of			25
No. 1 track	60		31
Block Station 25, between Little Falls and Herkimer, be-			45
tween Nos. 3 and 4 tracks	211		85
Block Station 28 A, between Frankfort and Schuyler Jct.,			20
south of No. 1 track	59	Oneida, west of station, between Nos. 3 and 4 tracks 20	
Canajoharie	85		69
Carman, east of station, south of No. 1 track	39		53
Cecile Junction	49		60
Chateauguay, south of passenger station	42		34 46
Childwold, north of passenger station	40		22
Clark's Mills, north of west bound track	67		34
Clearwater	28		20
Clearwater (on Raquette Lake Road), south of station,	8		12
east of main track	0		16
west of main track	14		22
Cohoes, north of main track	28	Schenectady (Block Station 9), between Nos. 3 and 4	
Constable	46	tracks	12
Crescent	49	South Schenectady	
Downing	70	St. Johnsville, east of coal trestle, between Nos. 3 and 4	
Factory Village, south of No. 1 track	76	tracks {	88
Feura Bush, east of station, south of east bound track	91	St. Johnsville, east of station, south of No. 1 track	65
Feura Bush, east of station, north of west bound track	91	St. Johnsville, west of station, between Nos. 3 and 4	
Floodwood	52	tracks 8	80
Fonda, south of No. 1 track	15	St. Stanislas 5	20
Forestport	37	St. Timothee	49
Fort Hunter	62	Sullivan, west of station, south of No. 1 track	44
Fort Plain, west of station, south of No. 1 track	62	Sullivan, west of station, between Nos. 3 and 4 track 30	02
Fort Plain (W. S.), north of west bound track	42	Utica (Block Station 30-A), south of No. 1 track	50
Frankfort (W. S.), east of station, north of west bound		(1) 10 10 10 10 10 10 10 10 10 10 10 10 10	36
track	101	Voorheesville, west of station, 1st track north of west	
Frankfort (W. S.), east of station, south of east bound			73
***************************************	120	Voorheesville, west of station, 2nd track north of west	
Fulton Chain	42		73
Gabriels	44	Voorheesville, west of station, 1st track south of east	
Green Island	62		74
Greenway, west of station, south of No. 1 track	62	Voorheesville, west of station, 2nd track south of east	
Greenway, west of station, between middle and No. 3 track.			74
Greenway, west of station, between middle and No. 4 track.			37
Herkimer (Main Line), south of No. 1 track	62		64
Horseshoe, east of main track	65	Yosts, between Nos. 3 and 4 tracks 10	30

MOHAWK DIVISION.

BLOCK STATIONS.

	ALBANY TO SYRACUSE.		45 Minoa	мо
	MAIN LINE.		46 Rotnour Bridge	RD
Block		Telegraph	47 East Syracuse	WI
Station.	Location.	Call.	48 Fertilizer Switch	XN
A	East end Albany Yard	30 / AN	49 Syracuse Tunnel	ST
В	West end Albany Yard			Description of
1	Albany Viaduct	Z		
2	Albany Grade	M		
3	Jones' Crossing	JC		
4	Millers Crossing	CN	SYRACUSE TO RAVENA.	
5	East Karner	CR		
6	West Karner	KC	WEST SHORE.	
7	Carman	AS	Block	Telegraph
8	East of State Street, Schenectady	SD	Station.	Call.
9	Sand Bank, west of Schenectady	S	Eastwood	WX
10	Experimental track Power House	RJ	Manlius Center	MU '
11	Hoffmans	NF	Kirkville Jct.	KR ·
12	Cranes Village	CV	Chittenango	CT
13	Amsterdam	DN	Canastota	CD
14	Akin	AK	Lenox Avenue	CV
15	Tribes Hill	C	Oneida Castle	YO
16	Fonda	FO	Vernon	vo
	Foster's Curve	WN	Vernon Grade	VG
17	Yosts	SW	Clarks Mills	AK
18	Sprakers	SU	East Clarks Mills	CR
19	Palatine Bridge	BD	New York Mills	NF
20	Fort Plain	RN	East New York Mills	WU
21	St. Johnsville	JN	Harbor	WF
21-A		JU	Frankfort	FK ·
22	East Creek	GS	Frankfort Jet.	FJ
23	Timmerman's Flats	RS	Ilion	ON
24	Little Falls	FS	Mohawk Jct.	MX
25	Little Falls, east end of middle	FA	Little Falls	FA
	Little Falls, west end of middle	BF	Indian Castle	IC
26	Herkimer	KI	Mindenville	MV
27	Ilion	BN	St. Johnsville	SJ
28	Frankfort	RA	Fort Plain	FO
		WF	Canajoharie	CN
29 29	Sterling Creek	J	Sprakers	SP
30	Schuyler Jet East Utica	UA	Downing	DN
	Utica, Second Street	KR	Fultonville	FV
31	Utica, Genesee Street	WU	Fort Hunter	FH
32	Whitesboro	В	Amsterdam	AM
33		MC	Pattersonville	PN
	Oriskany	G	Rotterdam Jct.	CJ
34	Oriskany Swamp	FY	Rotterdam Jet.	RJ
35	Factory Village		Crawfords Grade	CW
36	Rome	WR GR	South Schenectady	NE
37	Greenway	SB	Fullers	FR
38	Verona Oneida	RX	Guilderland Center	GC
39		VN	Voorheesville	NS
40	Red Bank, Wampsville		New Scotland	SD
41	Canastota	CS	Feura Bush	FB
42	Sullivan	X	South Bethlehem	SB
43	Chittenango	GN RV	West end, Ravena Yard	Q
44	Kirkville	ΚV	mest enu, marena Taru	*

TROY AND SCHENECT	ADY BRANCH.	Tupper Lake Jct.	JC
Block	Telegraph	Saranac Inn	NA
Station.	Call.	Lake Clear Jct.	· CN
Schenectady	WJ	Gabriels	AU
queduct	U	Lake Kushaqua	QA
Viskayuna	NY	Loon Lake	ON
Dunsbach Ferry	FN	Owls Head	G
rescent	C	Malone Jct.	MO
ohoes	CH	Constable	CO
reen Island	GY	Athelstan	N
roy	UN	Huntingdon	HU
		St. Stanislas	SN
		Valleyfield	. FD
WEDNING TO LOW		Cecile Jct.	NY
HERKIMER TO ADIR	ONDACK JCT.	St. Timothee	SA
Block	Telegraph	Beauharnois	В
tation.	Call.	Chateauguay	UG
fiddleville	MD	Adirondack Jet.	DZ
Tewport	NW		
oland	OD		
rospect Jct.	RO		
lemsen	RM		
orestport	FO	HINCKLEY BRANCH.	m., .
Vhite Lake	W	Station.	Telegraph Call.
IcKeever	MC	Hinckley	CY
ulton Chain	FN	Timekley	UI
learwater	CW		
ig Moose	BM		
eaver River	BE		
ehasane	WB	SARANAC BRANCH.	
ong Lake, West	SD	Block SARANAC BRANCH.	Telegraph
forseshoe	НО	Station.	Call.

Saranac Lake

SC

FC

Piercefield

ACCIDENT REPORTS.

Read carefully instructions on back of Form C. C. A. 10, Report of Injury to Persons or Property, and follow such instructions.

All acidents must be reported by telegraph as soon as possible. Follow telegraphic report with mail report on Form C. C. A. 10.

In serious accidents to passenger trains secure the names, addresses and destination addresses (street and number) of all persons on train, whether injured or not, sending same to Superintendent by first train.

No accident involving personal injury is too slight to be reported. Report all accidents.

Where an employee is an eye witness to an accident, even though the duty of making the report does not devolve upon him, he will bring the matter to the attention of the proper official, giving all the information he may be able to secure.

In giving the names of witnesses bear in mind that any persons who were at or near the scene of the accident are witnesses. Even though they have no knowledge of the occurrence, their names may be essential to the proper protection of the Company's interests.

If an accident occurs resulting in personal injury, damage to clothing, etc., by persons falling, a careful examination must be made of the premises at once to ascertain the cause; whether refuse was responsible for the fall, or whether platform, steps, etc., were wet or slippery from water, snow, ice, or grease.

If accidents occur in which wagons are involved, the name and address of owner and driver and the extent of injury or damage received must be given.

COMPANY SURGEONS.

THE RESERVE THE RESERVE THE PARTY OF THE PAR	
NAME.	OFFICE.
Dr. C. B. Herrick	Troy, N. Y.
D. W. T. All.	40 State St.
Dr. W. L. Allen	Rensselaer, N. Y.
D- W 7 Mill -1	38 Second Ave.
Dr. W. E. Milbank	Albany, N. Y.
D	111 State St.
Dr. E. D. McKenna	Albany, N. Y.
*	545 Clinton Ave.
D W M N N	W. A. R. R. Y. M. C. A
Dr. W. M. Nead	Albany, N. Y.
5 6 6 444	205 State St.
Dr. C. G. McMullen	Schenectady, N. Y.
	506 State St.
Dr. R. R. Canna	Amsterdam, N. Y.
2 2 2 2	27 Market St.
Dr. F. E. Simons	Canajoharie, N. Y.
Dr. C. C. Vedder	St. Johnsville, N. Y.
Dr. E. H. Douglas	Little Falls, N. Y.
	337 S. Ann St.
Dr. George Graves	Herkimer, N. Y.
Dr. J. G. Kilbourn	Utica, N. Y.
	247 Genesee St.
Dr. H. G. Jones	Utica, N. Y.
	224 Genesee St.
Dr. T. G. Nock	Rome, N. Y.
	211 West Embargo St
Dr. A. P. Dodge	Oneida, N. Y.
Dr. J. W. Knapp	Canastota, N. Y.
Dr. S. W. Nelson	Old Forge, N. Y.
Dr. J. A. Thissell	Tupper Lake, N. Y.

SPEED SCHEDULE

_1	Pime ;	per Mile.	Miles per Hour.	Time per Mile.	Miles per Hour.	Time per Mile. Miles per Hour.	Time per Mile.	Miles per Hour.
0	min.	. 36 sec.	.100.00	1 min. 30 sec.	. 40.00	2 min. 24 sec 25.00	3 min. 18 sec.	. 18.18
0		37 "	. 97.30	1 " 31 "	39.56	2 " 25 " . 24.83	3 " 19 "	. 18.09
0		38 "	. 94.74	1 " 32 "	. 39.13	2 " 26 " . 24.66	3 " 20 "	. 18.00
0	"	39 "	. 92.31	1 " 33 "	. 38.71	2 " 27 " . 24.49	3 " 21 "	. 17.91
0	66	40 "	. 90.00	1 " 34 "	. 38.30	0 11 00 11 01 00	3 " 22 "	17 00
0	"	41 "	. 87.80	1 01	37.89	2 " 29 " . 24.16	3 " 23 "	17 70
- 22	.66	TL		1 00	97 50	W WO . WI.IU	0 20	
0		IN	. 85.71	1 00	. 37.50	N 00 . NI.00	0 ~2	. 17.65
0	"	TU	. 83.72	1 0,	. 37.11	N 01 . NO.01	3 " 25 "	. 17.58
0	"	44 "	. 81.82	1 " 38 "	. 36.73	2 " 32 " . 23.68	3 " 26 "	. 17.48
0	"	45 "	. 80.00	1 " 39 "	. 36.36	2 " 33 " . 23.53	3 " 27 "	. 17.39
0		46 "	. 78.26	1 " 40 "	. 36.00	2 " 34 " . 23.38	3 " 28 "	. 17.31
0	66	47 "	. 76.60	1 " 41 "	. 35.64	2 " 35 " . 23.23	3 " 29 "	. 17.22
0	66	48 "	. 75.00	1 " 42 "	. 35.29	2 " 36 " . 23.08	3 " 30 "	. 17.14
0	66	49 "	. 73.47	1 " 43 "	. 34.95	2 " 37 " . 22.93	3 " 31 "	. 17.08
0	44	50 "	. 72.00	1 " 44 "	. 34.62	2 " 38 " . 22.78	3 " 32 "	. 16.98
0	66	51 "	. 70.59	1 " 45 "	94 90	2 " 39 " . 22.64	3 " 33 "	10 00
0		52 "	69.23	1 " 46 "	33.96	2 " 40 " . 22.50	3 " 34 "	. 16.82
0		53 "	67.92	1 " 47 "	33.64	0 44 41 44 00 00	3 " 35 "	. 16.74
		54 "		1 71		W TT . WW.00	3 " 36 "	
0		UZ	. 66.67	1 20	. 33.33			. 16.67
0		00	. 65.45	1 20	. 33.03	N TO . NN. 00	0 01	. 16.59
0		56 "	. 64.29	1 " 50 "	. 32.73	2 " 44 " . 21.95	3 " 38 "	. 16.51
0		57 "	. 63.16	1 " 51 "	. 32.43	2 " 45 " . 21.82	3 " 39 "	. 16.44
0		58 "	. 62.07	1 " 52 "	. 32.14	2 " 46 " . 21.69	3 " 40 "	. 16.36
0	66	59 "	. 61.02	1 " 53 "	. 31.86	2 " 47 " . 21.56	3 " 41 "	. 16.29
1	***	0 "	. 60.00	1 " 54 66	. 31.58	2 " 48 " . 21.43	3 " 42 "	. 16.22
1	66	1 "	. 59.02	1 " 55 "	. 31.80	2 " 49 " . 21.30	8 " 48 "	. 16.14
1	66	2 "	. 58.06	1 " 56 "	. 31.03	2 " 50 " . 21.18	8 " 44 "	. 16.07
ī	66	3 "	. 57.14	1 " 57 "	. 30.77	2 " 51 " . 21.05	3 " 45 "	. 16.00
î	**	4 "	. 56.25	1 " 58 "	. 30.51	2 " 52 " . 20.93	3 " 46 "	. 15.93
1	66	5 "	. 55.38	1 " 59 "	. 30.25	2 " 53 " . 20.81	3 " 47 "	. 15.88
1	"	6 "	. 54.55	1 00		0 4 54 4 00.00	3 " 48 "	
1	66			~ 0	. 30.00	W 01 . 20.00	3 " 49 "	. 15.79
1	66	Section 1	. 53.73	~ 1	. 29.75	N 00 , NO.01	0 10	. 15.72
1		0	. 52.94	~ ~	. 29.51	W . W. TO	0 00	. 15.65
1	66	9 "	. 52.17	2 " 3 "	. 29.27	2 " 57 " . 20.34	0 01	. 15.58
1	46	10 "	. 51.43	2 " 4 "	. 29.03	2 " 58 " . 20.22	8 " 52 "	. 15.5%
1	"	11 "	. 50.70	2 " 5 "	. 28.80	2 " 59 " . 20.11	3 " 58 "	. 15.45
1	66	12 "	. 50.00	2 " 6 "	. 28.57	3 " 0 " . 20.00	8 " 54 "	. 15.38
.1	"	13 "	. 49.31	2 " 7 "	. 28.35	3 " 1 " . 19.89	3 " 55 "	. 15.32
1	"	14 "	. 48.65	2 " 8 "	. 28.12	3 " 2 " . 19.78	8 " 56 "	. 15.25
1	"	15 "	. 48.00	2 " 9 "	. 27.91	3 " 8 " . 19.67	3 " 57 "	. 15.19
1	"	16 "	. 47.37	2 " 10 "	. 27.69	3 " 4 " . 19.57	3 " 58 "	. 15.13
1	"	17 "	. 46.75	2 " 11 "	27.48	3 " 5 " . 19.46	3 " 59 "	. 15.08
1	3500	18 "	. 46.15	2 " 12 "	27.27	3 " 6 " . 19.35	4 " 0 "	15.00
						0 . 10.00	T	
1		10	. 45.57	w 10	. 27.07	0 . 10.00	Z 11	. 14.00
1		20 "	. 45.00	2 " 14 "	. 26.87			. 13.00
1		21 "	. 44.44	2 " 15 "	. 26.67	3 " 9 " . 19.05	5 " 0 "	. 12.00
1		22 "	. 43.90	2 " 16 "	. 26.47	3 " 10 " . 18.95	5 " 27 "	. 11.00
1		23 "	. 43.37	2 " 17 "	. 26.28	3 " 11 " . 18.85	6 " 0 "	. 10.00
1	66	24 "	. 42.86	2 " 18 "	. 26.09	3 " 12 " . 18.75	6 " 40 "	. 9.00
1		25 "	. 42.35	2 " 19 "	. 25.90	3 " 13 " . 18.65	7 " 30 "	. 8.00
ī		26 "	. 41.86	2 " 20 "	. 25.71	3 " 14 " . 18.56	8 " 34 "	. 7.00
1		27 "	. 41.38	2 " 21 "	. 25.53	3 " 15 " . 18.46	10 " 0 "	0 00
1		28 "	40.91	2 " 22 "	25.35	3 " 16 " . 18.37	12 " 0 "	5.00
1		29 "	. 40.45	2 " 23 "		8 " 17 " . 18.27		. 0.00
T		NO	. 20.20	A AU	. 25.17	0 16 , 10,01		

